

**SOUTHERN REGIONAL COMMITTEE  
NATIONAL COUNCIL FOR TEACHER EDUCATION  
BANGALORE**

**DECISION OF 293<sup>rd</sup> MEETING OF SRC-NCTE**

<b>Sl. No.</b>	<b>Brief Description</b>	<b>Remarks of SRC</b>
	Confirmation of Minutes of 292 <sup>nd</sup> Meeting of SRC held on 29-30 Sept, 2015.	Confirmed
	Action Taken Report (ATR) on the Minutes of 291 <sup>st</sup> Meeting of SRC held on 20-21 Sept, 2015.	

**Consideration of Scrutiny of Application for Causing Inspection : (Volume- 01).**

<b>Sl. No.</b>	<b>Code No</b>	<b>Course</b>	<b>Name of the institutions</b>	<b>State</b>	<b>Remarks</b>
1.	SRCAPP2779	D.El.Ed- AI	Christ Dogga Suri Naidu D.Ed college, Vizianagaram, Andhra Pradesh	AP	1.Documens verified 2.Send a list of the deficiencies to the applicant for appropriate action before the V.T. Inspection 3.Ask the V.T to look into the list of deficiencies in particular in addition to the other points. 4.V.T. should also collect all the relevant documents. 5.Resubmit when the V.T. Inspection Report is received.
2.	SRCAPP2461	D.El.Ed- AI	Sneha D.Ed College, Prakasam, Andhra Pradesh	AP	1.Documens verified 2.Send a list of the deficiencies to the applicant for appropriate action before the V.T. Inspection 3.Ask the V.T to look into the list of deficiencies in particular in addition to the other points. 4.V.T. should also collect all the relevant documents. 5.Resubmit when the V.T. Inspection Report is received.
3.	SRCAPP2459	B.Ed	Sneha B.Ed College, Prakasam, Andhra Pradesh	AP	1.Documens verified 2.Send a list of the deficiencies to the applicant for appropriate

Members: Prof. K. Dorasami. Prof. Sandeep Ponnala. Prof. M.S. Lalithamma

Dr. C. Rajeswari (TN) Prof. M.V. Rajya Lakshmi (AP)

(S.Sathyam)  
Chairman

					<p>action before the V.T. Inspection</p> <p>3. Ask the V.T to look into the list of deficiencies in particular in addition to the other points.</p> <p>4. V.T. should also collect all the relevant documents.</p> <p>5. Resubmit when the V.T. Inspection Report is received.</p>
4.	SRCAPP2658	D.El.Ed	CBR college of Elementary Education, East Godavari, Andhra Pradesh	AP	<p>1. The infrastructural features earmarked for the basic Teacher Education Programme have been clearly indicated in the building plan. The V.T. may be asked to check on its details.</p> <p>2. However, the features that make this a case of composite institution have not been specified. The V.T. may be required to check on this in particular.</p> <p>3. The V.T. should also collect all the missing documents (list them).</p> <p>4. Cause Inspection accordingly.</p>
5.	SRCAPP14520	D.El.Ed	Emmanuel College of Teacher Education, Krishna, Andhra Pradesh	AP	<p>1. This D.El.Ed application will become 'composite' only in conjunction with the B.Ed application.</p> <p>2. The B.Ed application is on hold because of a Show Cause Notice for non-supply of NOC.</p> <p>3. Further, consideration of this case can be possible only after a final decision in the B.Ed case.</p> <p>4. Keep this application 'on hold' till a final decision is taken in the B.Ed case.</p>
6.	SRCAPP2271	D.El.Ed-AI	Palivela Colltege of Education, East Godavari, Andhra Pradesh	AP	<p>1. The infrastructural features earmarked for the basic Teacher Education Programme have been clearly indicated in the building plan. The V.T. may be asked to check on its details.</p> <p>2. However, the features that make this a case of composite institution have not been</p>

Members: Prof. K. Dorasami. Prof. Sandeep Ponnala. Prof. M.S. Lalithamma

Dr. C. Rajeswari (TN) Prof. M.V. Rajya Lakshmi (AP)

(S.Sathyam)  
Chairman

					<p>specified. The V.T. may be required to check on this in particular.</p> <p>3.The V.T. should also collect all the missing documents (list them).</p> <p>4.Cause Inspection accordingly.</p>
7.	SRCAPP14115	D.El.Ed	CBR College of Elementary Teacher Education, Krishna, Andhra Pradesh	AP	<p>1.The infrastructural features earmarked for the basic Teacher Education Programme have been clearly indicated in the building plan. The V.T. may be asked to check on its details.</p> <p>2.However, the features that make this a case of composite institution have not been specified. The V.T. may be required to check on this in particular.</p> <p>3.The V.T. should also collect all the missing documents (list them).</p> <p>4.Cause Inspection accordingly.</p>
8.	SRCAPP2384	D.El.Ed	Siddhardha College of Elementary Teacher Education college, East Godavari, Andhra Pradesh	AP	<p>1.Encumbrance certificate is not given.</p> <p>2.Apprise the applicant of these deficiencies for necessary action.</p> <p>3.Ask the VT to check on these in particular and collect relevant documents.</p> <p>4.Cause Inspection accordingly.</p>
9.	SRCAPP2475	B.P.Ed	Siddhardha College of Physical Education, East Godavari, Andhra Pradesh	AP	<p>1.The land area requirement is 5 acres. The four documents given show only a total area of 3.50 acres. The site area of 5.10 acres shown in the Building Plan is confusing.</p> <p>2.The LUC and EC given also do not cover all the areas.</p> <p>3.Inform the applicant accordingly for necessary action. Give a copy to the V.T. for verification.</p> <p>4.The V.T. should verify these deficiencies in particular at the time of inspection.</p>

Members: Prof. K. Dorasami. Prof. Sandeep Ponnala. Prof. M.S. Lalithamma

Dr. C. Rajeswari (TN) Prof. M.V. Rajya Lakshmi (AP)

(S.Sathyam)  
Chairman

					5.The V.T. should also collect the relevant documents. 6.Cause Inspection accordingly.
10.	SRCAPP2386	B.Ed	Siddhardha College of Education, East Godavari, Andhra Pradesh	AP	1.Encumbrance certificate is not given. 2.Apprise the applicant of these deficiencies for necessary action. 3.Ask the VT to check on these in particular and collect relevant documents. 4.Cause Inspection accordingly
11.	SRCAPP2437	B.Ed	Chanikya College of Education, Prakasam, Andhra Pradesh	AP	1Cause Composite Inspection 2.VT should also collect all the relevant documents. 3.Cause Inspection accordingly.
12.	SRCAPP2438	D.El.Ed	Chanikya College of Education, Prakasam, Andhra Pradesh	AP	1.B.C.C. not given. 3.Aprise the applicant of these deficiencies for necessary action 4.Ask the VT to check on these in particular in addition to other things. 5.VT should also collect all the relevant documents. 6.Cause composite nspection accordingly.
13.	SRCAPP3516	D.El.Ed	Sri Srinivasa College of Education, Krishna, Andhra Pradesh	AP	1.The courses in reference are B.Sc/B.Com/M.Sc/D.El.Ed. 2.The land area shown in 2 acres. The LUC covers only 1.19 acres. There is no earmarking of course wise-area. 3.The built up area was checked. That also has not programme wise earmarking. Details of classrooms, etc., are also not shown. 4.It is seen that nearly 2/3 of built up area has only A/c sheet roofing. 5.BP is not approved. 6.Affidavit is unsigned. 7.Inform the applicant of these deficiencies for necessary action. 8.VT shall look into these in particular besides other things.

Members: Prof. K. Dorasami. Prof. Sandeep Ponnala. Prof. M.S. Lalithamma

Dr. C. Rajeswari (TN) Prof. M.V. Rajya Lakshmi (AP)

(S.Sathyam)  
Chairman

					They should also collect all relevant documents. 9.Cause Inspection accordingly.
14.	SRCAPP3515	B.A.B.Sc	Sri Srinivasa College of Education, Krishna, Andhra Pradesh	AP	1.The Course can only be B.A. B.Ed or B.Sc., B.Ed. They has no BA; they have only B.Sc. therefore, we can consider this as an application for B.Sc. B.Ed. 2. The land area shown in 2 acres. The LUC covers only 1.19 acres. There is no earmarking of course wise-area. 3.The built up area was checked. That also has not programme wise earmarking. Details of classrooms, etc., are also not shown. 4.It is seen that nearly 2/3 of built up area has only A/c sheet roofing. 5.BP is not approved. 6.Affidavit is unsigned. 7.Inform the applicant of these deficiencies for necessary action. 8.VT shall look into these in particular besides other things. They should also collect all relevant documents. 9.Cause Inspection accordingly
15.	SRCAPP2973	D.El.Ed	Sri Lagudu Simhardi Elementary Teacher Education College, Vizianagaram, Andhra Pradesh	AP	1.The built up area of 3271 sq.mtrs is adequate only for one unit of D.El.Ed. and one unit of B.Ed. 2.Category of roofing not certified. 3.Apprise the applicant of these deficiencies for necessary action. 4.VT should check on these in particular besides other things. 5.VT should also collect all relevant documents. 6.VT should also collect all relevant documents 7.Cause Inspection accordingly.
16.	SRCAPP2976	B.Ed	Sri Lagudu Simhardi College of Education College,	AP	1.The built up area of 3271 sq.mtrs is adequate only for one

Members: Prof. K. Dorasami. Prof. Sandeep Ponnala. Prof. M.S. Lalithamma

Dr. C. Rajeswari (TN) Prof. M.V. Rajya Lakshmi (AP)

(S.Sathyam)  
Chairman

			Vizianagaram, Andhra Pradesh		unit of D.El.Ed. and one unit of B.Ed. 2.Category of roofing not certified. 4.Apprise the applicant of these deficiencies for necessary action. 5.VT should check on these in particular besides other things. 6.VT should also collect all relevant documents. 7.Cause Inspection accordingly.
17.	SRCAPP2304	M.Ed	Medarmetla Anjamma Mastan Rao College of Education, Guntur, Andhra Pradesh	AP	1.Cause Composite Inspection 2.VT should also collect all relevant documents.1
18.	SRCAPP2394	D.El.Ed- AI	Medarmetla Anjamma Mastan Rao College of Education, Guntur, Andhra Pradesh	AP	1.The applicant here is Medarmetla Anjamma Mastan Rao Memorial Service Society. The B.Ed course is run by the Krishnaveni Educational Society. Therefore, benefit of B.Ed support can not be given here. 2.That being so, even with D.El.Ed & D.El.Ed-AI (1) this will remain a stand alone institution. 3.The Encumbrance Certificate is not in the name of the Society or the Institution. 4.Issue Show Cause Notice for rejection.
19.	SRCAPP2399	D.El.Ed- AI	St. Mark NTR Institute of Elementary Teacher Education, Guntur, Andhra Pradesh	AP	1.The LUC/BP/BCC refer to Sy.Nos 48 & 60 Land document refers to several sub-divisions. But, both sets show a total area of 5.53 acres. This is confusing. Also, to verify contiguity of plots we need to check the site plan. 2.The built up area is less by 600 sq.mtrs. 3. VT should check on these in particular besides other things. 4.VT should also collect all relevant documents. 5.Cause Inspection accordingly
20.	SRCAPP3430	B.Ed	Lakshmi Narasimha B.Ed College, Prakasam, Andhra Pradesh	AP	1.LUC is not given 2.Sy.No. is discrepant between land document and B.P.

Members: Prof. K. Dorasami. Prof. Sandeep Ponnala. Prof. M.S. Lalithamma

Dr. C. Rajeswari (TN) Prof. M.V. Rajya Lakshmi (AP)

(S.Sathyam)  
Chairman

					<p>3.Original BP not given. 4. VT should check on these in particular besides other things. 5.VT should also collect all relevant documents. 6.Cause Inspection accordingly</p>
21.	SRCAPP3431	D.El.Ed	Lakshmi Narasimha B.Ed College, Prakasam, Andhra Pradesh	AP	<p>1.L.U.C. not given 2.Ask VT to collect LUC in addition to other relevant documents. 3. VT should check on these in particular besides other things. 4.VT should also collect all relevant documents. 5.Cause Inspection accordingly</p>
22.	SRCAPP2558	D.El.Ed	Sri Nalanda College of Education, Prakasam, Andhra Pradesh	AP	<p>1.LUC is not there. 2.EC is not given, 3.BCC to be collected at the time of VTI. 4.FDRs to be given later 5 VT should check on these in particular besides other things. 6.VT should also collect all relevant documents. 7.Cause Inspection accordingly</p>
23.	SRCAPP2557	D.El.Ed	Sri Nalanda College of Education, Prakasam, Andhra Pradesh	AP	<p>1.LUC is not there. 2.EC is not given, 3.BCC to be collected at the time of VTI. 4.FDRs to be given later 5 VT should check on these in particular besides other things. 6.VT should also collect all relevant documents. 7.Cause Inspection accordingly</p>
24.	SRCAPP3198	D.El.Ed	Dr. K.N. Raju college of Education, , Nellore, Andhra Pradesh	AP	<p>1.LUC is not given 2.EC is for only 2 acres out of 4.87 acres 3.BCC has to be given at the time of VTI, 4.FDRs has to be given later. 7. VT should check on these in particular besides other things. 8.VT should also collect all relevant documents. 9.Cause Inspection accordingly</p>

Members: Prof. K. Dorasami. Prof. Sandeep Ponnala. Prof. M.S. Lalithamma

Dr. C. Rajeswari (TN) Prof. M.V. Rajya Lakshmi (AP)

(S.Sathyam)  
Chairman

25.	SRCAPP2645	D.El.Ed- AI	Chegireddy Lingareddy Institute of Elementary Education, Prakasam, Andhra Pradesh	AP	1.2.VT should also collect all the relevant documents. 2.Cause composite Inspection accordingly
26.	SRCAPP2648	B.Ed	Chegireddy Lingareddy Institute of Elementary Education, Prakasam, Andhra Pradesh	AP	1.VT should also collect all the relevant documents. 2.Cause composite Inspection accordingly
27.	SRCAPP14694	D.El.Ed	SDS Memorial Teacher Training College, Kadapa, Andhra Pradesh	AP	1.Blue Print of Building Plan is not given. 2.Copy of Bye Laws Society not submitted. 3.English version of land documents not given. 4.Apprise the applicant of these deficiencies for necessary action. 5.Ask the VT to check in particular these points. 6.Ask the VT to collect all the relevant documents. 7.Cause (Composite) inspection accordingly.
28.	SRCAPP14708	B.Ed	SDS Memorial Teacher Training College, Kadapa, Andhra Pradesh	AP	1.Blue Print of Building Plan is not given. 2.Copy of Bye Laws Society not submitted. 3.English version of land documents not given. 4.Apprise the applicant of these deficiencies for necessary action. 5.Ask the VT to check in particular these points. 6.Ask the VT to collect all the relevant documents. 7.Cause (Composite) inspection accordingly.
29.	SRCAPP3257	D.El.Ed- AI	Sarvodaya College of Teacher Education, Srikakulam, Andhra Pradesh	AP	1.Cause composite inspection. 2.Ask VT Inspection to collect all the relevant documents.
30.	SRCAPP2875	D.El.Ed- AI	Sri Balaji D.Ed College, Prakasam, Andhra Pradesh	AP	1.Building Plan does not given details of built up area and programme wise earmarking clearly. 2.The required area is 5500

Members: Prof. K. Dorasami. Prof. Sandeep Ponnala. Prof. M.S. Lalithamma

Dr. C. Rajeswari (TN) Prof. M.V. Rajya Lakshmi (AP)

(S.Sathyam)  
Chairman



					sq.mtrs. The Building Plan does not show whether this requirement has been met. 3.Apprise the applicant of these deficiencies for necessary action. 4.Ask the VT to check in particular these points. 5.Ask the VT to collect all the relevant documents. 6.Cause (Composite) inspection accordingly.
31.	SRCAPP2859	B.Ed	Sri Balaji College of Education, Prakasam, Andhra Pradesh	AP	1.Building Plan does not given details of built up area and programme wise earmarking clearly. 2.The required area is 5500 sq.mtrs. The Building Plan does not show whether this requirement has been met. 3.Apprise the applicant of these deficiencies for necessary action. 4.Ask the VT to check in particular these points. 5.Ask the VT to collect all the relevant documents. 6.Cause (Composite) inspection accordingly.
32.	SRCAPP3136	B.P.Ed	Sri Balaji Physical Education, Prakasam, Andhra Pradesh	AP	1.Building Plan does not given details of built up area and programme wise earmarking clearly. 2.The required area is 5500 sq.mtrs. The Building Plan does not show whether this requirement has been met. 3.Apprise the applicant of these deficiencies for necessary action. 4.Ask the VT to check in particular these points. 5.Ask the VT to collect all the relevant documents. 6.Cause (Composite) inspection accordingly.
33.	SRCAPP14100	D.El.Ed	Amaravathi D.Ed college, Guntur, Andhra Pradesh	AP	1.They have asked for a capacity of 100 which means 2 units. But,

Members: Prof. K. Dorasami. Prof. Sandeep Ponnala. Prof. M.S. Lalithamma

Dr. C. Rajeswari (TN) Prof. M.V. Rajya Lakshmi (AP)

(S.Sathyam)  
Chairman

					<p>the built up area is inadequate for 2 units.</p> <p>2.The applicant may be asked to decided whether they will opt for one unit; or, whether they will increase the built-up area to qualify for 2 units; or, whether they will drop the application.</p> <p>3.Apprise the applicant of these deficiencies for necessary action.</p> <p>4.Ask the VT to check in particular these points.</p> <p>5.Ask the VT to collect all the relevant documents.</p> <p>6.Cause (Composite) inspection accordingly.</p>
34.	SRCAPP14099	B.Ed	Amaravathi College of Education, Guntur, Andhra Pradesh	AP	<p>1.They have asked for a capacity of 100 which means 2 units. But, the built up area is inadequate for 2 units.</p> <p>2.The applicant may be asked to decided whether they will opt for one unit; or, whether they will increase the built-up area to qualify for 2 units; or, whether they will drop the application.</p> <p>3.Apprise the applicant of these deficiencies for necessary action.</p> <p>4.Ask the VT to check in particular these points.</p> <p>5.Ask the VT to collect all the relevant documents.</p> <p>6.Cause (Composite) inspection accordingly.</p>
35.	SRCAPP2760	D.El.Ed	Balajee College of Education, Vizianagaram, Andhra Pradesh	AP	<p>1.LUC is not issued by competent authority.</p> <p>2.BCC has to be given at the time of VT Inspection.</p> <p>3.FDRs have to be given later.</p> <p>4.Apprise the applicant of these deficiencies for necessary action.</p> <p>5.Ask the VT to check in particular these points.</p> <p>6.Ask the VT to collect all the relevant documents.</p>

					7.Cause (Composite) inspection accordingly.
36.	SRCAPP2674	B.Ed	Balajee College of Education, Vizianagaram, Andhra Pradesh	AP	1.LUC is not issued by competent authority. 2.BCC has to be given at the time of VT Inspection. 3.FDRs have to be given later. 4.Apprise the applicant of these deficiencies for necessary action. 5.Ask the VT to check in particular these points. 6.Ask the VT to collect all the relevant documents. 7.Cause (Composite) inspection accordingly.
37.	SRCAPP2685	B.A B.Ed	Balajee College of Education, Vizianagaram, Andhra Pradesh	AP	1.LUC is not issued by competent authority. 2.BCC has to be given at the time of VT Inspection. 3.FDRs have to be given later. 4.Apprise the applicant of these deficiencies for necessary action. 5.Ask the VT to check in particular these points. 6.Ask the VT to collect all the relevant documents. 7.Cause (Composite) inspection accordingly. 8.The applicant should specify whether they want B.A.B.Ed or B.Sc.B.Ed
38.	SRCAPP2897	B.Ed	Jesus Dogga College of Education, Vizianagaram, Andhra Pradesh	AP	1.LUC is not approved by competent authority. 2.BCC has to be given at the time of inspection. 3.FDRs have to be given later. 4.Certificate of registration of the Society is not given. 5.Land area shown in BP is 400 sq.mtrs more than the land area shown in the land document. 6.Apprise the applicant of these deficiencies for necessary action. 7.Ask the VT to check in particular these points.

Members: Prof. K. Dorasami. Prof. Sandeep Ponnala. Prof. M.S. Lalithamma

Dr. C. Rajeswari (TN) Prof. M.V. Rajya Lakshmi (AP)

(S.Sathyam)  
Chairman

					<p>8. Ask the VT to collect all the relevant documents.</p> <p>9. Cause (Composite) inspection accordingly.</p>
39.	SRCAPP2778	B.A.BSc	Jesus Dogga College of Education, Vizianagaram, Andhra Pradesh	AP	<p>1. LUC is not approved by competent authority.</p> <p>2. BCC has to be given at the time of inspection.</p> <p>3. FDRs have to be given later.</p> <p>4. Certificate of registration of the Society is not given.</p> <p>5. Land area shown in BP is 400 sq.mtrs more than the land area shown in the land document.</p> <p>6. Apprise the applicant of these deficiencies for necessary action.</p> <p>7. Ask the VT to check in particular these points.</p> <p>8. Ask the VT to collect all the relevant documents.</p> <p>9. Cause (Composite) inspection accordingly.</p> <p>10. The applicant must chose whether they want BA.B.Ed or B.Sc.B.Ed</p>
40.	SRCAPP2899	D.El.Ed	Jesus Dogga College of Education, Vizianagaram, Andhra Pradesh	AP	<p>1. LUC is not approved by competent authority.</p> <p>2. BCC has to be given at the time of inspection.</p> <p>3. FDRs have to be given later.</p> <p>4. Certificate of registration of the Society is not given.</p> <p>5. Land area shown in BP is 400 sq.mtrs more than the land area shown in the land document.</p> <p>6. Apprise the applicant of these deficiencies for necessary action.</p> <p>7. Ask the VT to check in particular these points.</p> <p>8. Ask the VT to collect all the relevant documents.</p> <p>9. Cause (Composite) inspection accordingly.</p> <p>10. The applicant must chose whether they want BA.B.Ed or</p>

Members: Prof. K. Dorasami. Prof. Sandeep Ponnala. Prof. M.S. Lalithamma

Dr. C. Rajeswari (TN) Prof. M.V. Rajya Lakshmi (AP)

(S.Sathyam)  
Chairman

					B.Sc.B.Ed
41.	SRCAPP14066	B.Ed	Sri Venkateshwara college of Education, Nizamabad, Telangana	TS	1.Cause Composite Inspection 2.Ask VT Inspection to collect all the relevant documents.
42.	SRCAPP3127	D.El.Ed	Samgam Reddy Paidapunaigu Elementary Teacher Education college, Vizianagaram, Andhra Pradesh	AP	1.The land area in land document (1.71 acre) is different from the area (2 acre) shown in the Building Plan. 2.BCC must be given at the time of inspection. 3.FDRs must be given later 4.Apprise the applicant of these deficiencies for necessary action. 5.Ask the VT to check in particular these points. 6.Ask the VT to collect all the relevant documents. 7.Cause (Composite) inspection accordingly.
43.	SRCAPP3157	B.Ed	Samgam Reddy Paidapunaigu College of Education , Vizianagaram, Andhra Pradesh	AP	1.The land area in land document (1.71 acre) is different from the area (2 acre) shown in the Building Plan. 2.BCC must be given at the time of inspection. 3.FDRs must be given later 4.Apprise the applicant of these deficiencies for necessary action. 5.Ask the VT to check in particular these points. 6.Ask the VT to collect all the relevant documents. 7.Cause (Composite) inspection accordingly.````
44.	SRCAPP2652	D.El.Ed- AI	Surya College of Elementary Education, East Godavari, Andhra Pradesh	AP	1.BCC and FDRs to be given at the time of VT Inspection. 2.Cause composite Inspection 3.Ask VT Inspection to collect all the relevant documents.
45.	SRCAPP14826	B.A.B.Ed	Ayyanna College of Teacher Education, Visakhapatnam, Andhra Pradesh	AP	1.The applicant has to chose between BA;B.Ed & B.Sc;B.Ed and specify whether they want one or two units. 2.LUC, EC, notarized English Version of land documents,

Members: Prof. K. Dorasami. Prof. Sandeep Ponnala. Prof. M.S. Lalithamma

Dr. C. Rajeswari (TN) Prof. M.V. Rajya Lakshmi (AP)

(S.Sathyam)  
Chairman

					<p>Affidavit in Original not given. 3.BCC to be given at the time of VT inspection. 4.FDRs to be given later. 5.The survey nos. Do not indicate contiguity of the lie of the lands. They should submit a detailed site-plan to promote clarity. 6.Apprise the applicant of these deficiencies for necessary action. 7.Ask the VT to check in particular these points. 8.Ask the VT to collect all the relevant documents. 9.Cause (Composite) inspection accordingly.</p>
46.	SRCAPP3288	B.Ed	Pedada Bharathi Devi College of Education, Srikakulam, Andhra Pradesh	AP	<p>1.BCC to be given at the time of VT inspection 2.Cause Composite Inspection 3.Ask VT Inspection to collect all the relevant d9cuments.</p>
47.	SRCAPP3154	D.El.Ed	Sahithi College of Elementary Education, Srikakulam, Andhra Pradesh	AP	<p>1.BCC to be given at the time of VT inspection 2.Cause Composite Inspection 3.Ask VT Inspection to collect all the relevant d9cuments.</p>
48.	SRCAPP15046	B.Ed	Sri Raju College of Education, Kadapa, Andhra Pradesh	AP	<p>1.LUC &amp; EC not given 2.BP is not approved by competent authority 3.BCC to be given at the time of VT inspection. 4.Notarised English version of land document nt given. 5.The built up area available is adequate only for one unit of B.Ed and the unit of D.El.Ed. 6.Apprise the applicant of these deficiencies for necessary action. 7.Ask the VT to check in particular these points. 8.Ask the VT to collect all the relevant documents. 9.Cause (Composite) inspection accordingly.</p>

Members: Prof. K. Dorasami. Prof. Sandeep Ponnala. Prof. M.S. Lalithamma

Dr. C. Rajeswari (TN) Prof. M.V. Rajya Lakshmi (AP)

(S.Sathyam)  
Chairman

49.	SRCAPP15022	D.El.Ed	Sri Raju D.Ed college, Kadapa, Andhra Pradesh	AP	<ol style="list-style-type: none"> <li>1.LUC &amp; EC not given</li> <li>2.BP is not approved by competent authority</li> <li>3.BCC to be given at the time of VT inspection.</li> <li>4.Notarised English version of land document nt given.</li> <li>5.The built up area available is adequate only for one unit of B.Ed and the unit of D.El.Ed.</li> <li>6.Apprise the applicant of these deficiencies for necessary action.</li> <li>7.Ask the VT to check in particular these points.</li> <li>8.Ask the VT to collect all the relevant documents.</li> <li>9.Cause (Composite) inspection accordingly.</li> </ol>
50.	SRCAPP14928	B.Ed	Shri Vidyasagar College of Education, Belgaum, Karnataka	KA	<ol style="list-style-type: none"> <li>1.Sy.Nos. in Land document, BCC &amp; BP are discrepant.</li> <li>2.BCC shows asbestos roofing over 200 sq.mtrs.</li> <li>3.Original Blue Print of BP. Not given.</li> <li>4.Original FDRs must be given later.</li> <li>5.Apprise the applicant of these deficiencies for necessary action.</li> <li>6.Ask the VT to check in particular these points.</li> <li>7.Ask the VT to collect all the relevant documents.</li> <li>8.Cause (Composite) inspection accordingly.</li> </ol>
51.	SRCAPP14517	D.El.Ed- AI	Sri Guruji D.Ed college, Kadapa, Andhra Pradesh	AP	<ol style="list-style-type: none"> <li>1.Latest EC is not given</li> <li>2.Apprise the applicant of these deficiencies for necessary action.</li> <li>3.Ask the VT to check in particular these points.</li> <li>4.Ask the VT to collect all the relevant documents.</li> <li>5.Cause (Composite) inspection accordingly.</li> </ol>
52.	SRCAPP15067	B.Ed	Sri Guruji College of Education, Kadapa, Andhra Pradesh	AP	<ol style="list-style-type: none"> <li>1.Latest EC is not given</li> <li>2.FDRs should be given at the time</li> </ol>

Members: Prof. K. Dorasami. Prof. Sandeep Ponnala. Prof. M.S. Lalithamma

Dr. C. Rajeswari (TN) Prof. M.V. Rajya Lakshmi (AP)

(S.Sathyam)  
Chairman

					<p>of VT Inspection.</p> <p>3.Apprise the applicant of these deficiencies for necessary action.</p> <p>4.Ask the VT to check in particular these points.</p> <p>5.Ask the VT to collect all the relevant documents.</p> <p>6.Cause (Composite) inspection accordingly.</p>
53.	SRCAPP2769	D.El.Ed	Punyagiri Elementary Teacher Education college, Vizianagaram, Andhra Pradesh	AP	<p>1.They have to decide whether they want BA B.Ed or BSC Bed.</p> <p>2.The built-up area is adequate only for one unit of D.El.Ed and one unit of BA BED or B.Sc BED.</p> <p>3.LUC is not given</p> <p>4.BP not approved by competent authority</p> <p>5.BCC is not approved by competent authority.</p> <p>6.The Sy.N. in BP is discrepant from the Sy.No. in other documents.</p> <p>7.Apprise the applicant of these deficiencies for necessary action.</p> <p>8.Ask the VT to check in particular these points.</p> <p>9.Ask the VT to collect all the relevant documents.</p> <p>10.Cause (Composite) inspection accordingly.</p>
54.	SRCAPP2757	B.A B.Sc	Punyagiri college of Education, Vizianagaram, Andhra Pradesh	AP	<p>1.They have to decide whether they want BA B.Ed or BSC Bed.</p> <p>2.The built-up area is adequate only for one unit of D.El.Ed and one unit of BA BED or B.Sc BED.</p> <p>3.LUC is not given</p> <p>4.BP not approved by competent authority</p> <p>5.BCC is not approved by competent authority.</p> <p>6.The Sy.N. in BP is discrepant from the Sy.No. in other documents.</p> <p>7.Apprise the applicant of these deficiencies for necessary action.</p>

Members: Prof. K. Dorasami. Prof. Sandeep Ponnala. Prof. M.S. Lalithamma

Dr. C. Rajeswari (TN) Prof. M.V. Rajya Lakshmi (AP)

(S.Sathyam)  
Chairman



					<p>8. Ask the VT to check in particular these points.</p> <p>9. Ask the VT to collect all the relevant documents.</p> <p>10. Cause (Composite) inspection accordingly.</p>
55.	SRCAPP14569	B.Ed	Sri Aurobindo College of Education, Nalgonda, Telangana	TS	<p>1. EC not given.</p> <p>2. BCC to be given at the time of VT Inspection.</p> <p>3. FDRs to be given later.</p> <p>4. The Built up area is adequate for 1 unit of D.El.Ed and 2 units of B.Ed. They must choose whether they want one unit or two units in B.Ed.</p> <p><b>5. Apprise the applicant of these deficiencies for necessary action.</b></p> <p><b>6. Ask the VT to check in particular these points.</b></p> <p><b>7. Ask the VT to collect all the relevant documents.</b></p> <p><b>8. Cause (Composite) inspection accordingly.</b></p>
56.	SRCAPP3037	D.El.Ed- AI	Sreedevi Elementary Teacher Training College, Ananatpur, Andhra Pradesh	AP	<p>1. The lands and built-up area available are adequate for one more unit of D.El.Ed in addition to the existing programmes.</p> <p>2. Carbon copy of the original blue print of BP is required.</p> <p>3. Original FDRs must be produced later.</p> <p><b>4. Apprise the applicant of these deficiencies for necessary action.</b></p> <p><b>5. Ask the VT to check in particular these points.</b></p> <p><b>6. Ask the VT to collect all the relevant documents.</b></p> <p><b>7. Cause (Composite) inspection accordingly.</b></p>
57.	SRCAPP3245	D.El.Ed- AI	Vijetha College of Education, Prakasam, Andhra Pradesh	AP	<p>1. The lands and built-up area available are adequate for one more unit of D.El.Ed in addition to the existing programmes.</p> <p>2. BCC must be given at the time of VT Inspection.</p>

Members: Prof. K. Dorasami. Prof. Sandeep Ponnala. Prof. M.S. Lalithamma

Dr. C. Rajeswari (TN) Prof. M.V. Rajya Lakshmi (AP)

(S.Sathyam)  
Chairman

					<p>3.FDRs must be given later.</p> <p><b>4.Apprise the applicant of these deficiencies for necessary action.</b></p> <p><b>5.Ask the VT to check in particular these points.</b></p> <p><b>6.Ask the VT to collect all the relevant documents.</b></p> <p><b>7.Cause (Composite) inspection accordingly.</b></p>
58.	SRCAPP3238	B.Ed	Vijetha College of Education, Pradasam, Andhra Pradesh	AP	<p>1.The lands and built-up area available are adequate for 2 units of B.Ed in addition to the existing programmes plus one more unit of D.El.Ed. They must indicate whether they want one or two units of B.Ed.</p> <p>2.BCC must be given at the time of VT Inspection.</p> <p>3.FDRs must be given later.</p> <p><b>4.Apprise the applicant of these deficiencies for necessary action.</b></p> <p><b>5.Ask the VT to check in particular these points.</b></p> <p><b>6.Ask the VT to collect all the relevant documents.</b></p> <p><b>7.Cause (Composite) inspection accordingly.</b></p>
59.	SRCAPP2889	B.Ed	Jesus the Savior of Nations college of Education, Vizianagaram, Andhra Pradesh	AP	<p>1.Certification of registration of the society not given.</p> <p>2.LUC is not by the competent authority.</p> <p>3.Copy of approved BP should be given.</p> <p>4.BCC should be given at the time of VT inspection.</p> <p>5.FDRs should be given later.</p> <p>6.The land area required for the 3 programmes (BA/BSc.B.Ed. B.Ed &amp; D.El.Ed) is inadequate for one unit each of 3 programmes. The land document shows a much lesser area than does the BP. They must choose which two programmes they wish to take up.</p> <p>7.They should indicate whether</p>

					<p>they want BA B.Ed or B.Sc B.Ed.</p> <p><b>8. Apprise the applicant of these deficiencies for necessary action.</b></p> <p><b>9. Ask the VT to check in particular these points.</b></p> <p><b>10. Ask the VT to collect all the relevant documents.</b></p> <p><b>11. Cause (Composite) inspection accordingly.</b></p>
60.	SRCAPP2892	D.El.Ed	Jesus the Savior of nations college of Education, Vizianagaram, Andhra Pradesh	AP	<p>1. Certification of registration of the society not given.</p> <p>2. LUC is not by the competent authority.</p> <p>3. Copy of approved BP should be given.</p> <p>4. BCC should be given at the time of VT inspection.</p> <p>5. FDRs should be given later.</p> <p>6. The land area required for the 3 programmes (BA/BSc.B.Ed. B.Ed &amp; D.El.Ed) is inadequate for one unit each of 3 programmes. The land document shows a much lesser area than does the BP. They must choose which two programmes they wish to take up.</p> <p>7. They should indicate whether they want BA B.Ed or B.Sc B.Ed.</p> <p><b>8. Apprise the applicant of these deficiencies for necessary action.</b></p> <p><b>9. Ask the VT to check in particular these points.</b></p> <p><b>10. Ask the VT to collect all the relevant documents.</b></p> <p><b>11. Cause (Composite) inspection accordingly.</b></p>
61.	SRCAPP2771	B.A BSc	Jesus the Savior of nations college of Education, Vizianagaram, Andhra Pradesh	AP	<p>1. Certification of registration of the society not given.</p> <p>2. LUC is not by the competent authority.</p> <p>3. Copy of approved BP should be given.</p> <p>4. BCC should be given at the time of VT inspection.</p> <p>5. FDRs should be given later.</p>

Members: Prof. K. Dorasami. Prof. Sandeep Ponnala. Prof. M.S. Lalithamma

Dr. C. Rajeswari (TN) Prof. M.V. Rajya Lakshmi (AP)

(S.Sathyam)  
Chairman

					<p>6.The land area required for the 3 programmes (BA/BSc.B.Ed. B.Ed &amp; D.El.Ed) is inadequate for one unit each of 3 programmes. The land document shows a much lesser area than does the BP. They must choose which two programmes they wish to take up.</p> <p>7.They should indicate whether they want BA B.Ed or B.Sc B.Ed.</p> <p><b>8.Apprise the applicant of these deficiencies for necessary action.</b></p> <p><b>9.Ask the VT to check in particular these points.</b></p> <p><b>10.Ask the VT to collect all the relevant documents.</b></p> <p><b>11.Cause (Composite) inspection accordingly.</b></p>
62.	SRCAPP2673	M.Ed	Vinukonda B.Ed College, Guntur, Andhra Pradesh	AP	<p>1.Sy. No.s are not wholly common between the address of the institution, LUC, BP and Land document.</p> <p>2.BCC should be given at the time of VT inspection.</p> <p>3.FDRs should be given later</p> <p>4.The BP does not show allocation of built-up area for D.El.Ed-AI.</p> <p><b>5.Apprise the applicant of these deficiencies for necessary action.</b></p> <p><b>6.Ask the VT to check in particular these points.</b></p> <p><b>7.Ask the VT to collect all the relevant documents.</b></p> <p><b>8.Cause (Composite) inspection accordingly.</b></p>
63.	SRCAPP2670	D.El.Ed-AI	Vinukonda B.Ed College, Guntur, Andhra Pradesh	AP	<p>1.Sy. No.s are not wholly common between the address of the institution, LUC, BP and Land document.</p> <p>2.BCC should be given at the time of VT inspection.</p> <p>3.FDRs should be given later</p> <p>4.The BP does not show allocation of built-up area for D.El.Ed-AI.</p> <p><b>5.Apprise the applicant of these</b></p>

Members: Prof. K. Dorasami. Prof. Sandeep Ponnala. Prof. M.S. Lalithamma

Dr. C. Rajeswari (TN) Prof. M.V. Rajya Lakshmi (AP)

(S.Sathyam)  
Chairman

					<p><b>deficiencies for necessary action.</b></p> <p><b>6.Ask the VT to check in particular these points.</b></p> <p><b>7.Ask the VT to collect all the relevant documents.</b></p> <p><b>8.Cause (Composite) inspection accordingly.</b></p>
64.	SRCAPP14242	B.Ed-AI	Vinukonda B.Ed College, Guntur, Andhra Pradesh	AP	<p>1.Sy. No.s are not wholly common between the address of the institution, LUC, BP and Land document.</p> <p>2.BCC should be given at the time of VT inspection.</p> <p>3.FDRs should be given later</p> <p>4.The BP does not show allocation of built-up area for D.El.Ed-AI.</p> <p><b>5.Apprise the applicant of these deficiencies for necessary action.</b></p> <p><b>6.Ask the VT to check in particular these points.</b></p> <p><b>7.Ask the VT to collect all the relevant documents.</b></p> <p><b>8.Cause (Composite) inspection accordingly.</b></p>
65.	SRCAPP14609	B.Ed	KGR B.Ed College, Prakasam, Andhra Pradesh	AP	<p>1.Copy of the original Blue print of BP is not given</p> <p>2.BCC must be given at the time of VT Inspection</p> <p>3.FDRs must be given later.</p> <p>4.The land area and builtup area available is adequate for 2 units of B.Ed and 2 units of D.El.Ed. They must indicate the number of units proposed.</p> <p><b>5.Apprise the applicant of these deficiencies for necessary action.</b></p> <p><b>6.Ask the VT to check in particular these points.</b></p> <p><b>7.Ask the VT to collect all the relevant documents.</b></p> <p><b>8.Cause (Composite) inspection accordingly.</b></p>
66.	SRCAPP3399	D.El.Ed	KGR D.Ed college, Prakasam, Andhra Pradesh	AP	<p>1.Copy of the original Blue print of BP is not given</p> <p>2.BCC must be given at the time of</p>

Members: Prof. K. Dorasami. Prof. Sandeep Ponnala. Prof. M.S. Lalithamma

Dr. C. Rajeswari (TN) Prof. M.V. Rajya Lakshmi (AP)

(S.Sathyam)  
Chairman

					<p>VT Inspection</p> <p>3.FDRs must be given later.</p> <p>4.The land area and builtup area available is adequate for 2 units of B.Ed and 2 units of D.El.Ed. They must indicate the number of units proposed.</p> <p><b>5.Apprise the applicant of these deficiencies for necessary action.</b></p> <p><b>6.Ask the VT to check in particular these points.</b></p> <p><b>7.Ask the VT to collect all the relevant documents.</b></p> <p><b>8.Cause (Composite) inspection accordingly.</b></p>
67.	SRCAPP3538	B.Ed	PNCA B.Ed College, Prakasam, Andhra Pradesh	AP	<p>1.The total requirement of land area is available.</p> <p>2.1The total requirement of built-up area will be as follows: D.El.Ed .....1500 sq.mtrs D.El.Ed-Al.....0500 sq.mts B.Ed.....1500 sq.mts B.El.Ed.....2000 sq.mts (The Regulations do not prescribe area requirement specifically for B.El.Ed. At the rate of 50 per year, in the 4<sup>th</sup> year, B.El.Ed will have 200. This will be equal to 2 units of 2 year B.Ed course for which area requirement is fixed at 2000 sq.mtrs. This has been adopted for B.El.Ed)</p> <p>2.2.As against this requirement, they have only 4500 sqmts. This means they can have only 2 programmes. They must decided which programmes they wish to pursue.</p> <p>3. Properly approved BCC must be given at the time of VT Inspection.</p> <p>4.FDRs must be given later</p> <p><b>5.Apprise the applicant of these deficiencies for necessary action.</b></p> <p><b>6.Ask the VT to check in particular these points.</b></p>

					<p><b>7. Ask the VT to collect all the relevant documents.</b></p> <p><b>8. Cause (Composite) inspection accordingly.</b></p>
68.	SRCAPP3536	B.El.Ed	PNCA B.Ed College, Prakasam, Andhra Pradesh	AP	<p>1. The total requirement of land area is available.</p> <p>2.1 The total requirement of built-up area will be as follows:  D.El.Ed .....1500 sq.mtrs  D.El.Ed-AI.....0500 sq.mts  B.Ed.....1500 sq.mts  B.El.Ed.....2000 sq.mts  (The Regulations do not prescribe area requirement specifically for B.El.Ed. At the rate of 50 per year, in the 4<sup>th</sup> year, B.El.Ed will have 200. This will be equal to 2 units of 2 year B.Ed course for which area requirement is fixed at 2000 sq.mtrs. This has been adopted for B.El.Ed)</p> <p>2.2. As against this requirement, they have only 4500 sqmts. This means they can have only 2 programmes. They must decide which programmes they wish to pursue.</p> <p>3. Properly approved BCC must be given at the time of VT Inspection.</p> <p>4. FDRs must be given later</p> <p><b>5. Apprise the applicant of these deficiencies for necessary action.</b></p> <p><b>6. Ask the VT to check in particular these points.</b></p> <p><b>7. Ask the VT to collect all the relevant documents.</b></p> <p><b>8. Cause (Composite) inspection accordingly.</b></p>
69.	SRCAPP3537	D.El.Ed-AI	PNCA B.Ed College, Prakasam, Andhra Pradesh	AP	<p>1. The total requirement of land area is available.</p> <p>2.1 The total requirement of built-up area will be as follows:  D.El.Ed .....1500 sq.mtrs  D.El.Ed-AI.....0500 sq.mts  B.Ed.....1500 sq.mts</p>

Members: Prof. K. Dorasami. Prof. Sandeep Ponnala. Prof. M.S. Lalithamma

Dr. C. Rajeswari (TN) Prof. M.V. Rajya Lakshmi (AP)

(S.Sathyam)  
Chairman

				<p>B.El.Ed.....2000 sq.mts (The Regulations do not prescribe area requirement specifically for B.El.Ed. At the rate of 50 per year, in the 4<sup>th</sup> year, B.El.Ed will have 200. This will be equal to 2 units of 2 year B.Ed course for which area requirement is fixed at 2000 sq.mtrs. This has been adopted for B.El.Ed)</p> <p>2.2.As against this requirement, they have only 4500 sqmts. This means they can have only 2 programmes. They must decided which programmes they wish to pursue.</p> <p>3. Properly approved BCC must be given at the time of VT Inspection.</p> <p>4.FDRs must be given later</p> <p>5.Apprise the applicant of these deficiencies for necessary action.</p> <p>6.Ask the VT to check in particular these points.</p> <p>7.Ask the VT to collect all the relevant documents.</p> <p>8.Cause (Composite) inspection accordingly.</p>
70.	SRCAPP3063	B.Ed	Chanakya College of Education, Vizianagaram, Andhra Pradesh	<p>1.The two Sy.Nos. do not appear to be contiguous; they are in different Municipalities. Ask for a detailed site plan to clarify the position.</p> <p>2.There are two LUCs. Which one is to be relied upon?</p> <p>3.Approved BCC must be given at the time of VT Inspection.</p> <p>4.FDRs must be given later separately for each programme.</p> <p>5.Apprise the applicant of these deficiencies for necessary action.</p> <p>6.Ask the VT to check in particular these points.</p> <p>7.Ask the VT to collect all the relevant documents.</p> <p>8.Cause (Composite) inspection</p>

Members: Prof. K. Dorasami. Prof. Sandeep Ponnala. Prof. M.S. Lalithamma

Dr. C. Rajeswari (TN) Prof. M.V. Rajya Lakshmi (AP)

(S.Sathyam)  
Chairman



					accordingly.
71.	SRCAPP3046	D.El.Ed	Chanakya Elementary Teacher Education, Vishakhapatnam, Andhra Pradesh	AP	<ol style="list-style-type: none"> <li>1.The two Sy.Nos. do not appear to be contiguous; they are in different Municipalities. Ask for a detailed site plan to clarify the position.</li> <li>2.There are two LUCs. Which one is to be relied upon?</li> <li>3.Approved BCC must be given at the time of VT Inspection.</li> <li>4.FDRs must be given later separately for each programme.</li> <li>5.Apprise the applicant of these deficiencies for necessary action.</li> <li>6.Ask the VT to check in particular these points.</li> <li>7.Ask the VT to collect all the relevant documents.</li> <li>8.Cause (Composite) inspection accordingly.</li> </ol>
72.	SRCAPP2772	D.El.Ed-AI	GMR college of Diploma in Education, Kurnool, Andhra Pradesh	AP	<ol style="list-style-type: none"> <li>1.Original Blue Print of the Building Plan is not given.</li> <li>2.Cause composite Inspection.</li> <li>3.Ask VT Inspection to collect all the relevant documents.</li> </ol>
73.	SRCAPP3497	D.El.Ed-AI	Varaprasad Rao D.Ed College, Kurnool, Andhra Pradesh	AP	<ol style="list-style-type: none"> <li>1.B.P. not given.</li> <li>2.EC not given.</li> <li>3.BCC must be given at the time of VT Inspection.</li> <li>4.FDRs must be given later separately for each programme.</li> <li>5.Apprise the applicant of these deficiencies for necessary action.</li> <li>6.Ask the VT to check in particular these points.</li> <li>7.Ask the VT to collect all the relevant documents.</li> <li>8.Cause (Composite) inspection accordingly.</li> </ol>
74.	SRCAPP14784	B.Ed	Varaprasad Rao B.Ed College, Kurnool, Andhra Pradesh	AP	<ol style="list-style-type: none"> <li>1.B.P. not given.</li> <li>2.EC not given.</li> <li>3.BCC must be given at the time of VT Inspection.</li> <li>4.FDRs must be given later separately for each programme.</li> </ol>

Members: Prof. K. Dorasami. Prof. Sandeep Ponnala. Prof. M.S. Lalithamma

Dr. C. Rajeswari (TN) Prof. M.V. Rajya Lakshmi (AP)

(S.Sathyam)  
Chairman

					<p>5.Apprise the applicant of these deficiencies for necessary action.</p> <p>6.Ask the VT to check in particular these points.</p> <p>7.Ask the VT to collect all the relevant documents.</p> <p>8.Cause (Composite) inspection accordingly.</p>
75.	SRCAPP14839	B.Ed	Bhavani College of Education, Nalgonda, Telangana	TS	<p>1.BP is not given.</p> <p>2.BCC must be given at the time of VT Inspection</p> <p>3.FDRs must be given later separately for each programme</p> <p>4.Apprise the applicant of these deficiencies for necessary action.</p> <p>5.Ask the VT to check in particular these points.</p> <p>6.Ask the VT to collect all the relevant documents.</p> <p>7.Cause (Composite) inspection accordingly.</p>
76.	SRCAPP14123	D.El.Ed	St.Xaviers D.El.Ed College of Education, Vizianagaram, Andhra Pradesh	AP	<p>1.Land area is adequate for both programmes.</p> <p>2.Built-up area available is only 3600 sq.mts. This can accommodate only 2 units of B.Ed (shifting case) and one unit of D.El.Ed.</p> <p>3.Certificate of Registration of the Society is not submitted.</p> <p>4.Affidavit in original is not given at the time of VT Inspection.</p> <p>6.FDRs must be given later separately for each programme.</p> <p>7.Apprise the applicant of these deficiencies for necessary action.</p> <p>8.Ask the VT to check in particular these points.</p> <p>9.Ask the VT to collect all the relevant documents.</p> <p>10.Cause (Composite) inspection accordingly.</p>
77.	SRCAPP2660	B.Ed	Ramalakshmi college of Education, Guntur, Andhra Pradesh	AP	<p>1.Land area and built-up area are adequate for 2 units of B.Ed and 2 units of D.El.ED.</p>

Members: Prof. K. Dorasami. Prof. Sandeep Ponnala. Prof. M.S. Lalithamma

Dr. C. Rajeswari (TN) Prof. M.V. Rajya Lakshmi (AP)

(S.Sathyam)  
Chairman

					<p>2.Original Blue Print of BP is not given.</p> <p>3.FDRs must be given later separately for each programme.</p> <p>4.Apprise the applicant of these deficiencies for necessary action.</p> <p>5.Ask the VT to check in particular these points.</p> <p>6.Ask the VT to collect all the relevant documents.</p> <p>7.Cause (Composite) inspection accordingly</p>
78.	SRCAPP2502	D.El.Ed	Saidamma D.Ed college, Guntur, Andhra Pradesh	AP	<p>1.Land area and built-up area are adequate for 2 units of B.Ed and 2 units of D.El.ED.</p> <p>2.Original Blue Print of BP is not given.</p> <p>3.FDRs must be given later separately for each programme.</p> <p>4.Apprise the applicant of these deficiencies for necessary action.</p> <p>5.Ask the VT to check in particular these points.</p> <p>6.Ask the VT to collect all the relevant documents.</p> <p>7.Cause (Composite) inspection accordingly</p>

Members: Prof. K. Dorasami. Prof. Sandeep Ponnala. Prof. M.S. Lalithamma

Dr. C. Rajeswari (TN) Prof. M.V. Rajya Lakshmi (AP)

(S.Sathyam)  
Chairman

**Consideration of Court Case : (Volume- 03).**

Sl. No.	Code No	Course	Name of the institutions	State	
79.	SRCAPP1316	B.Ed	Vikas College of Education, Kadapa, Andhra Pradesh	AP	Noted
80.	APS07146	B.Ed	Malla Reddy college of Education, Hyderabad, Telangana	TS	Noted
81.	APS03461	B.Ed	Servite College of Education for Women, Karur, Tamilnadu	TN	Noted
82.	APS04787 APS08881	B.Ed B.Ed-AI	Immanuel Arasar B.Ed college, Kanyakumari, Tamilnadu	TN	Noted
83.	APS03247 APS08842 APs03908	M.Ed M.Ed-AI B.Ed	St.Xavier's College of Education, Tirunelveli, Tamilnadu	TN	1.Noted 2.remind the lawyer to get the interim order vacated
84.	APS08882	B.Ed-AI	St. Justins College of Education, Madurai, Tamilnadu	TN	Noted Put up the case for amending our order
85.	APS03424	B.Ed	Indira college of Education, Tumkur, Karnataka	KA	Noted Put up the case for amending our order
86.	-----	-----	Judgement received from the Hon'ble High Court of Kerala	KL	Ask our lawyer to approach the same court for review of the order because of the Supreme Court judgment.

**Consideration of Appeal Cases : (Volume- 03).**

Sl. No.	Code No	Course	Name of the institutions	State	
87.	SRCAPP834	D.El.Ed	Amritha Akshitha College of Education, Mahabubnagar, Andhra Pradesh	TS	Process
88.	SRCAPP1723	D.El.Ed	Daama Govendappa Teacher Trining Institute, Mahabubnagar, Telangana	TS	Process
89.	APS02174	B.Ed	Amitha B.Ed College, Bangalore, Kanrnataka	KA	Process

**Consideration of Show Cause notice reply : (Volume- 03).**

28

Members: Prof. K. Dorasami. Prof. Sandeep Ponnala. Prof. M.S. Lalithamma

Dr. C. Rajeswari (TN) Prof. M.V. Rajya Lakshmi (AP)

(S.Sathyam)  
Chairman

Sl. No.	Code No	Course	Name of the institutions	State	
90.	APS00260 APS02528	B.Ed D.Ed	Nalanda College of Education, Mahabubnagar, Andhra Pradesh	TS	1.Put up in the next meeting for further action 2.In the meanwhile request the affiliating bodies to renew affiliation.
91.	APS06301	B.Ed	Vishwajyothi College of Education, Krishna, Andhra Pradesh	AP	Club this with other RPRO cases and cause inspection to check conformity with the new norms/standards
92.	SRCAPP1259	D.El.Ed	Dawn college of Elementary Education, Nalgonda, Telangana	TS	Reply to SCN is accepted. Close the case
93.	SRCAPP1050	D.El.Ed	Pragna College of Education, Rangareddy, Telangana	TS	The reply is satisfactory. Close the case
94.	APS02727	D.Ed	Sharada School of Elementary Teacher Education, Mahabubnagar, Telangana	TS	The reply is satisfactory. Close the case
95.	APS02724	D.Ed	Sri Sadguru Bandayappa Swamy D.Ed college, Nizamabad, Telangana	TS	Await approval of SCERT
96.	APS02604	D.Ed	Jyothi College of Elementary Education, Karimnagar, Telangana	TS	Staff list is proper close the case.
97.	SRCAPP689	D.El.Ed	Sahithi College of Elementary Teacher Education, Mahabubnagar, Telangana	TS	Reply is satisfactory close the case
98.	APS02615	D.El.Ed	Mother Mary Elementary Teacher Training Institute, Nalgonda, Telangana	TS	Fire certificate has been submitted. Close the case under intimation to the SCERT
99.	SRCAPP672	D.El.Ed	Ahmed College of Elementary Education, Nizamabad, Telangana	TS	Staff list is proper. Close the case
100.	APS02881 APs00312	D.Ed B.Ed	Reeman College of Elementary Teacher Training, Medak, Telangana	TS	Await SCERT approval of the staff list
101.	APS07711 APs02669	D.El.Ed B.Ed	R.K.L.K D.Ed college, Nalgonda, Telangana	TS	Staff list is proper. Close the case
102.	APS02591	D.Ed	Karunodaya D.Ed College, Ranga reddy, Telangana	TS	1.Process the case for causing shifting inspection. 2.In the meanwhile request the Affiliating Body to renew affiliation
103.	APS02605 APS00309	D.El.Ed B.Ed	Rahmans Elementary Teacher Education Institution, Warangal, Telangana	TS	Staff list is proper. Close the case.
104.	APS02740	B.Ed	Nagarjuna College of	TS	1.Process for causing shifting

Members: Prof. K. Dorasami. Prof. Sandeep Ponnala. Prof. M.S. Lalithamma

Dr. C. Rajeswari (TN) Prof. M.V. Rajya Lakshmi (AP)

(S.Sathyam)  
Chairman

	APS00304		Elementary Teacher Education, Medak, Telangana		inspection. 2.In the meanwhile request the 2 Affiliating Bodies to renew affiliation.
105.	APS00232 *APS02786	B.Ed D.El.Ed	Dr. Rajendra Prasad B.Ed College Adilabad, Telangana. Srinidhi Teacher Training Institute, Adilabad, Telangana	TS	1.Process for causing shifting inspection. 2.In the meanwhile request the 2 Affiliating Bodies to renew affiliation.
106.	APS07573	D.Ed	GMR D.Ed College, Medak, Telangana	TS	Staff list is proper. Close the case.
107.	SRCAPP1394	D.El.Ed	Vishvabharathy college of Elementary Education, Mahabubnagar, Telangana	TS	Reply is satisfactory. Close the case.

**Consideration of Complaint Matter : (Volume- 03).**

Sl. No.	Code No	Course	Name of the institutions	State	
108.	SRCAPP2187	B.Ed	Adikavi Nannaya University, East Godavari, Andhra Pradesh	AP	Obtain University's comments on the second complaint.

**Consideration of Request for Closure : (Volume- 03).**

Sl. No.	Code No	Course	Name of the institutions	State	
109.	APS01923	D.Ed	Mandavya Teacher Training Insitute, Mandya, Karnataka	KA	1.Permit closure. 2.Withdraw recognition w.e.f. 2015-16 3.Return the FDRs after ensuring settlement of all faculty/staff claims.
110.	APS01582	D.Ed	Yamakanmardi Vidyavardhaka Sangha's D.Ed college, Belgaum, Karnataka	KA	1.Permit closure. 2.Withdraw recognition w.e.f. 2015-16 3.Return the FDRs after ensuring settlement of all faculty/staff claims.
111.	APS08558	D.T.Ed- AI	Sandaravadhanam Teacher Training Institute, Cuddalore, Tamilnadu	TN	1.Permit closure. 2.Withdraw recognition w.e.f. 2015-16 3.Return the FDRs after ensuring settlement of all faculty/staff claims.

Members: Prof. K. Dorasami. Prof. Sandeep Ponnala. Prof. M.S. Lalithamma

Dr. C. Rajeswari (TN) Prof. M.V. Rajya Lakshmi (AP)

(S.Sathyam)  
Chairman

**Consideration of Other Cases : (Volume- 03).**

Sl. No.	Code No	Course	Name of the institutions	State	
112.	APS02563	D.Ed	M.S. R Institute of Elementary Teacher Education, Nalgonda, Andhra Pradesh	AP	Permit the change in address as requested.
113.	SRCAPP1718	D.El.Ed	Nauman College of Elementary Teacher Education, Nalgonda, Telangana	TS	Add village name in address as requested
114.	APS01657	B.Ed	Sri Mangari Hanumanthappa College of Education, Davangere, Karnataka	KA	Ask them to submit the Transfer Deed,
115.	APS000152	D.T.Ed	District Institute of Education and Training, Nagapattinam, Tamilnadu	TN	Conduct inspection, collect documents and issue order for continuation of recognition.
116.	AOS00174	D.T.Ed	District Institute of Education and Training, Nagapattinam, Tamilnadu	TN	Conduct inspection, collect documents and issue order for continuation of recognition.
117.	APS02641	B.Ed	Narketapally college of Education, Nalgonda, Telangana	TS	Process for change of management
118.	SRCAPP881	D.Ed	Gaythri college of Elementary Education, Nalgonda, Telangana	TS	Keep pending
119.	APS09596	M.Ed	Subham College of Education, Kancheepuram, Tamilnadu	TN	Circumstances have changed. No action is required. File.

**Consideration of Summarily rejection : (Volume- 04).**

31

Members: Prof. K. Dorasami. Prof. Sandeep Ponnala. Prof. M.S. Lalithamma

Dr. C. Rajeswari (TN) Prof. M.V. Rajya Lakshmi (AP)

(S.Sathyam)  
Chairman

Sl. No.	Code No	Course	Name of the institutions	State	Remarks
120.	SRCAPP2234	B.Ed	Appa college of Education, Bidar, Karnataka	KA	Delayed submission fee not paid. Reject
121.	SRCAPP3199	B.Ed	Rajsherya B.Ed College, Bidar, Karnataka	KA	Land documents not given Reject
122.	SRCAPP2238	B.Ed	Channabasavamma Deshmukh College of Education, Bidar, Karnataka	KA	Delayed submission of hard copies. Reject
123.	SRCAPP14914	B.AB.Sc	Mother Teresa Womens University, Dindigul, Tamilnadu	TN	Delayed submission of hard copies. Reject
124.	SRCAPP14926	B.AB.Sc	Mother Teresa Womens University, Dindigul, Tamilnadu	TN	Delayed submission of hard copies. Reject
125.	SRCAPP14706	B.Ed	Hafeez College of Education, Guntur, Andhra Pradesh	AP	Land documents not given Reject
126.	SRCAPP3103		St. Mary's College of Education Nellore, Andhra Pradesh	AP	Registered land document not given Reject
127.	SRCAPP3253	D.El.Ed	Kalanjali College of D.Ed, Kurnool, Andhra Pradesh	AP	1.Registered land document not given. 2.Processing Fee-paid by cheque-Cheque also bounced. Reject
128.	SRCAPP14845	B.Ed	AL Simra B.Ed college , Gulbarga, Karnataka	KA	1.Delayed submission of hard copy. 2.Land documents not given Reject
129.	SRCAPP2248	M.Ed	Loyola College of Education, Chennai, Tamilnadu	TN	1.Delaayed submission of hard copy. 2.Title to lands is in the name of anther society. Reject
130.	SRCAPP15001	D.P.Ed	Sadulla Hussain college of Physical Education, Guntur, Andhra Pradesh	AP	1.Land documents not given. 2.Processing Fee not paid Reject
131.	SRCAPP3581	B.A. BSc	Ponnaiyah ramajayam Institute of Science and Technology, Thanjavur, Tamilnadu	TN	1.Case of private lease Reject
132.	SRCAPP14984	B.Ed	Dr. SNS College of Education, Coimbatore, Tamilnadu	TN	Case of private lease Reject

**Consideration of Banned Programme : (Volume- 04).**

Sl. No.	Code No	Course	Name of the institutions	State	Remarks
---------	---------	--------	--------------------------	-------	---------

32

Members: Prof. K. Dorasami. Prof. Sandeep Ponnala. Prof. M.S. Lalithamma

Dr. C. Rajeswari (TN) Prof. M.V. Rajya Lakshmi (AP)

(S.Sathyam)  
Chairman



133.	SRCAPP15137	D.El.Ed- AI	Apoorva College of Education, Karimnagar, Andhra Pradesh	TS	D.El.Ed in Telangana is 'banned' for 2016-17. Applicant is NOT a minority institution. Reject
134.	SRCAPP14155	D.El.Ed	Limra College of Elementary Education, Khammam, Telangana	TS	D.El.Ed in Telangana is 'banned' for 2016-17. Applicant is NOT a minority institution. Reject

**Consideration of New Application for Reconsideration : (Volume- 04).**

Sl. No.	Code No	Course	Name of the institutions	State	
135.	SRCAPP3427	B.Ed-Part	Periyar University, Salem , Tamilnadu	TN	Reopen the case and process
136.	SRCAPP3534	B.Ed	Mangalore University, Dakshina Kannada, Karnataka	KA	Reopen the case and process
137.	SRCAPP2261	B.Ed M.Ed	Department of Education, Visakhapatnam, Andhra Pradesh	AP	Reopen the case and process
138.	SRCAPP14479	B.Ed	Bharathir University, Coimbatore, Tamilnadu	TN	Reopen the case and process
139.	SRCAPP2293	M.Ed	Telangana University, Nizamabad, Andhra Pradesh	TS	Reopen the case and process
140.	SRCAPP2339	B.Ed	Tamilnadu Open University, Chennai, Tamilnadu	TN	Reopen the case and process
141.	SRCAPP2530	D.El.Ed	Block Institute of Teacher Education, Perambalur, Tamilnadu	TN	Reopen the case and process
142.	SRCAPP2509	D.El.Ed	Block Insittute of Teachedr Education, Cuddalore, Tamilnadu	TN	Reopen the case and process
143.	SRCAPP2493	B.A BSc.Ed	Sri Venkateswara College of Education, Krishna, Andhra Pradesh	AP	Reopen the case and process
144.	SRCAPP3525	B.A BSc Ed	PNC and KR Degree College, Guntur, Andhra Pradesh	AP	Reopen the case and process
145.	SRCAPP15149	B.A. BSc	King college of Arts and Science for Women, Namakkal, Tamilnadu	TN	Reopen the case and process
146.	SRCAPP2726	D.El.Ed	Veeravalli Indira Vidya Davani College of Education, East Godavari, Andhra Pradesh	AP	Reopen the case and process
147.	SRCAPP2763	B.Ed	HIS College of Education, East Godavari, Andhra Pradesh	AP	Reopen the case and process

Members: Prof. K. Dorasami. Prof. Sandeep Ponnala. Prof. M.S. Lalithamma

Dr. C. Rajeswari (TN) Prof. M.V. Rajya Lakshmi (AP)

(S.Sathyam)  
Chairman

148.	SRCAPP14705	D.El.Ed-AI	Pavan College of Education, Kadapa, Andhra Pradesh	AP	Reopen the case and process
149.	SRCAPP3606	D.P.S.E	Western Hills DPSE College, Chitradurga, Karnataka	KA	Reopen the case and process
150.	SRCAPP3274	D.El.Ed	D.G. Raghunath, Davangere, Karnataka	KA	Reopen the case and process
151.	SRCAPP3016	M.P.Ed	Dr. Muscu Madhusudan Reddy College of Physical Education, Nalgonda, Telangana	TS	Reopen the case and process
152.	SRCAPP2247	B.Ed	G. Prasanth College of Education, Prakasam, Andhra Pradesh		Reopen the case and process
153.	SRCAPP2286	D.El.Ed	G Srisanthi Latha Teacher Training College, Prakasam, Andhra Pradesh	AP	Reopen the case and process
154.	SRCAPP14631	D.El.Ed-AI	Pushpagiri Elementary Teacher Training Institute, Kadapa	AP	Reopen the case and process
155.	SRCAPP3535	M.Ed	Mangalore University, Dakshina Kannada, Karnataka	KA	Reopen the case and process
156.	SRCAPP2562	D.El.Ed-AI	Alexa college of Elementary Education, Nellore, Andhra Pradesh	AP	Reopen the case and process
157.	SRCAPP2575	D.El.Ed	K. Nagi Reddy College of Education, Kurnool, Andhra Pradesh	AP	1.Letter seen. Request is accepted. 2.Reopen the case and process
158.	SRCAPP14068	B.Ed	K. Nagi Reddy College of Education, Kurnool, Andhra Pradesh	AP	1.Letter seen. Request is accepted. 2.Reopen the case and process
159.	SRCAPP3529	B.Ed	Department of Education Gulbarga University, Gulbarga, Karnataka	KA	1.Letter seen. Request is accepted. 2.Reopen the case and process
160.	SRCAPP2563	M.P.Ed	Sree Sankaracharya University of Sanskrit, Ernakulam, Kerala	KL	1.Letter seen. Request is accepted. 2.Reopen the case and process
161.	SRCAPP3400	D.El.Ed	Sree Sarada DELED College, Anantapur, Andhra Pradesh	AP	Land document is available. Reopen the case and process
162.	SRCAPP3424	B.Ed	St. Josephs College of Teacher Education, Mandya, Karnataka	KA	1.Land document is available; it is a valid, genuine document 2.Reopen the case and process
163.	SRCAPP2524	B.Ed	Jnyan Bharati B.Ed college, Vijayapur, Karnataka	KA	1.Land document is available; it is a valid, genuine document 2.Reopen the case and process

Sl. No	Code No	Course	Name of the institutions	State	
--------	---------	--------	--------------------------	-------	--

Members: Prof. K. Dorasami. Prof. Sandeep Ponnala. Prof. M.S. Lalithamma

Dr. C. Rajeswari (TN) Prof. M.V. Rajya Lakshmi (AP)

(S.Sathyam)  
Chairman

164.	SRCAPP2677	B.Ed	Varma College of Education, Chittoor, Andhra Pradesh	AP	In compliance of the Court court order, reopen the case and process
165.	SRCAPP3275	D.El.Ed- AI	KMDIQBAL D.Ed College, Kurnool, Andhra Pradesh	AP	In compliance of the Court court order, reopen the case and process
166.	SRCAPP14909		Narender Reddy College of Education, Ananthapur, Andhra Pradesh	AP	In compliance of the Court court order, reopen the case and process

**Consideration of Court order & NOC not submitted : (Volume- 03).**

Sl. No.	Code No	Course	Name of the institutions	State	
167.	SRCAPP3610	M.Ed	Shanthinikethan M.Ed College, Kurnool, Andhra Pradesh	AP	1.Permit withdrawal of application. 2.We had started processing. Fee can not be returned.
168.	SRCAPP2715	D.El.Ed	Sri Balaji D.El.Ed college, Chittoor, Andhra Pradesh	AP	1.Permit withdrawal of application. 2.We had started processing. Fee can not be returned.

**Consideration of Closure Cases : (Volume- 03).**

**Consideration of Change of Name : (Volume- 03).**

Sl. No.	Code No	Course	Name of the institutions	State	
169.	SRCAPP15029	B.Ed	Nagasatyanarayana , Kurnool, Andhra Pradesh	AP	Obtain a Resolution of the Board of Trustees and put up.
170.	SRCAPP15000	D.El.Ed	Nagasatyanarayana , Kurnool, Andhra Pradesh	AP	Obtain a Resolution of the Board of Trustees and put up.
171.	SRCAPP14514	D.El.Ed	Archana, Nellore, Andhra Pradesh	AP	Request for correction of name is accepted
172.	SRCAPP15120	D.P.S.E	Sahaya College of Education, Chittoor, Andhra Pradesh	AP	Request for correction of error is accepted.

**Consideration of Other Cases : (Volume- 03).**

Sl. No.	Code No	Course	Name of the institutions	State	

Members: Prof. K. Dorasami. Prof. Sandeep Ponnala. Prof. M.S. Lalithamma

Dr. C. Rajeswari (TN) Prof. M.V. Rajya Lakshmi (AP)

(S.Sathyam)  
Chairman

173.	SRCAPP14191	D.El.Ed	Sai Krishna Teacher Training Institute, Krishna, Andhra Pradesh	AP	Addition of land documents after on-line application is not permissible under the 2014 Regulations. Process without taking them into account.
174.	SRCAPP2405	B.Ed	Vishwadarshana Education Sociiety, Uttara Kannada, Karnataka	KA	Case of Govt. Lease. But, period of lease is less than 30 years which is violative of the Regulations.  Issue SCN
175.	SRCAPP14586	M.Ed	Dr. Ambedkar College of Education, Bangalore Urban, Karnataka	KA	Write to the University drawing their attention to the law on the subject.
176.	SRCAPP3526	B.Ed	Shree Chidananda College of Education, Bellary, Karnataka	KA	Land is in the name of an individual. Summarily reject.
177.	SRCAPP3059	D.El.Ed-AI	Janahita Educational Teacher Education, Vizianagaram, Andhra Pradesh	AP	1.Sy. No. 128/24 shown in the BF is not covered by the land document. 2.Required built-up area is 2400 sq.mts. The BP shows 1195 sq,mts of slab area of 917 of plinth area in the absence of BCC It is difficult to assess he correct position. 3.BCC must be given at the time of VT Inspection. 4.FDRs must be given later. 5.EC is not given 6.Apprise the applicant of these deficiencies for necessary action 7.Ask the VT to check in particular these points. 8.Ask the VT to collect all the relevant documents. 9.Cause (Composite) inspection accordingly
178.	SRCAPP3072	D.El.Ed-AI	ABR college of Education, Prakasam, Andhra Pradesh	AP	1.Built up area required is 4500 sq,mtrs. The exact position is not clear in the BP. BCC is not submitted. 2.BCC must be given at the time of VT Inspection. 3.LUC is not given. 4.Affidavit (in original) is not given.

Members: Prof. K. Dorasami. Prof. Sandeep Ponnala. Prof. M.S. Lalithamma

Dr. C. Rajeswari (TN) Prof. M.V. Rajya Lakshmi (AP)

(S.Sathyam)  
Chairman

					<p>5.Original Blue Print of BP is not given.</p> <p>6.Original FDRs separately for each programme be give later.</p> <p>7.Apprise the applicant of these deficiencies for necessary action</p> <p>8.Ask the VT to check in particular these points.</p> <p>9.Ask the VT to collect all the relevant documents.</p> <p>10.Cause (Composite) inspection accordingly</p>
179.	SRCAPP3075	M.Ed	ABR college of Education, Prakasam, Andhra Pradesh	AP	<p>1.Built up area required is 4500 sq,mtrs. The exact position is no clear in the BP. BCC is not submitted.</p> <p>2.BCC must be given at the time of VT Inspection.</p> <p>3.LUC is not given.</p> <p>4.Affidavit (in original) is not given.</p> <p>5.Original Blue Print of BP is not given.</p> <p>6.Original FDRs separately for each programme be give later.</p> <p>7.Apprise the applicant of these deficiencies for necessary action</p> <p>8.Ask the VT to check in particular these points.</p> <p>9.Ask the VT to collect all the relevant documents.</p> <p>10.Cause (Composite) inspection accordingly</p>
180.	SRCAPP14635	M.P.Ed	Sri Krishna College of Physical Education, Nalgonda, Telangana	TS	<p>1.Land area of 8 acres is adequate for all 3 programmes</p> <p>2.Built up area required is 3200 sq.mts. Without BP &amp; BCC this can not be verified.</p> <p>3.BP &amp; BCC must be produced at the time of VT Inspection.</p> <p>4.EC is not given.</p> <p>5.Notarised English version of land document is not given.</p> <p>6.FDRs must be given later separately for each programme</p>

Members: Prof. K. Dorasami. Prof. Sandeep Ponnala. Prof. M.S. Lalithamma

Dr. C. Rajeswari (TN) Prof. M.V. Rajya Lakshmi (AP)

(S.Sathyam)  
Chairman

					<p>7.Apprise the applicant of these deficiencies for necessary action</p> <p>8.Ask the VT to check in particular these points.</p> <p>9.Ask the VT to collect all the relevant documents.</p> <p>10.Cause (Composite) inspection accordingly</p>
181.	SRCAPP2800	B.P.Ed-AI	Sri Krishna College of Physical Education, Nalgonda, Telangana	TS	<p>1.Land area of 8 acres is adequate for all 3 programmes</p> <p>2.Built up area required is 3200 sq.mts. Without BP &amp; BCC this can not be verified.</p> <p>3.BP &amp; BCC must be produced at the time of VT Inspection.</p> <p>4.EC is not given.</p> <p>5.Notarised English version of land document is not given.</p> <p>6.FDRs must be given later separately for each programme</p> <p>7.Apprise the applicant of these deficiencies for necessary action</p> <p>8.Ask the VT to check in particular these points.</p> <p>9.Ask the VT to collect all the relevant documents.</p> <p>10.Cause (Composite) inspection accordingly</p>
182.	SRCAPP14166	B.Ed	Mahammad Ghorri College of Education, Prakasam, Andhra Pradesh	AP	<p>1.The application for D.El.Ed was without NOC and has gone back with a SCN.</p> <p>2.Until a decision thereon is taken, it can not finally be decided whether the B.Ed application will be 'stand-alone' or 'composite'</p> <p>3.Taking note of the other B .Ed course run by the same society will not also help to give it the 'composite' status.</p> <p>4.Keep pending till he D.El.Ed case is taken up for further action.</p>
183.	SRCAPP2637	D.El.Ed	Vidya College of Education, Prakasam, Andhra Pradesh	AP	<p>1.Land area and built up area re adequate.</p>

Members: Prof. K. Dorasami. Prof. Sandeep Ponnala. Prof. M.S. Lalithamma

Dr. C. Rajeswari (TN) Prof. M.V. Rajya Lakshmi (AP)

(S.Sathyam)  
Chairman

					<p>2.LUC and EC are not given. BCC must be given at the time of VT Inspection.</p> <p>4.FDRs must be given later separately for each programme.</p> <p>5.Apprise the applicant of these deficiencies for necessary action</p> <p>6.Ask the VT to check in particular these points.</p> <p>7.Ask the VT to collect all the relevant documents.</p> <p>8.Cause (Composite) inspection accordingly</p>
184.	SRCAPP2634	B.Ed	Vidya College of Education, Prakasam, Andhra Pradesh	AP	<p>1.Land area and built up area re adequate.</p> <p>2.LUC and EC are not given. BCC must be given at the time of VT Inspection.</p> <p>4.FDRs must be given later separately for each programme.</p> <p>5.Apprise the applicant of these deficiencies for necessary action</p> <p>6.Ask the VT to check in particular these points.</p> <p>7.Ask the VT to collect all the relevant documents.</p> <p>8.Cause (Composite) inspection accordingly</p>
185.	SRCAPP14680	D.El.Ed	Sanviya College of Elementary Education, Guntur, Andhra Pradesh	AP	<p>1.Land area (3933 sq.mt) and built up area (3259 sq.mt) are adequate for one unit each of B.Ed and D.El.Ed</p> <p>2.BCC must be given at the time of VT Inspectin.</p> <p>3.Original FDRs must be produced later for its accounting.</p> <p>4.Apprise the applicant of these deficiencies for necessary action</p> <p>5.Ask the VT to check in particular these points.</p> <p>6.Ask the VT to collect all the relevant documents.</p> <p>7.Cause (Composite) inspection accordingly</p>

Members: Prof. K. Dorasami. Prof. Sandeep Ponnala. Prof. M.S. Lalithamma

Dr. C. Rajeswari (TN) Prof. M.V. Rajya Lakshmi (AP)

(S.Sathyam)  
Chairman

186.	SRCAPP14679	B.Ed	Sanviya College of Education, Guntur, Andhra Pradesh	AP	<ol style="list-style-type: none"> <li>1.Land area (3933 sq.mt) and built up area (3259 sq.mt) are adequate for one unit each of B.Ed and D.El.Ed</li> <li>2.BCC must be given at the time of VT Inspectin.</li> <li>3.Original FDRs must be produced later for its accounting.</li> <li>4.Apprise the applicant of these deficiencies for necessary action</li> <li>5.Ask the VT to check in particular these points.</li> <li>6.Ask the VT to collect all the relevant documents.</li> <li>7.Cause (Composite) inspection accordingly</li> </ol>
187.	SRCAPP2646	D.El.Ed- AI	Little Star College of Elementary Education, Prakasam, Andhra Pradesh	AP	<ol style="list-style-type: none"> <li>1.Land area and built-up area required for B.Ed/D.El.Ed-AI are adequate</li> <li>2.The building housing D.El.Ed(basic unit) is being expanded to accommodate D.El.Ed-AI.</li> <li>3.A new block is being put up for B.Ed.</li> <li>4.BCC for both the construction projects is not there. Must be given during VT Inspection.</li> <li>5.FDRs must be given later separately for each programmes</li> <li>6.Apprise the applicant of these deficiencies for necessary action</li> <li>7.Ask the VT to check in particular these points.</li> <li>8.Ask the VT to collect all the relevant documents.</li> <li>9.Cause (Composite) inspection accordingly</li> </ol>
188.	SRCAPP2651	B.Ed	Little Star College of Education, Prakasam, Andhra Pradesh	AP	<ol style="list-style-type: none"> <li>1.Land area and built-up area required for B.Ed/D.El.Ed-AI are adequate</li> <li>2.The building housing D.El.Ed(basic unit) is being expanded to accommodate</li> </ol>

Members: Prof. K. Dorasami. Prof. Sandeep Ponnala. Prof. M.S. Lalithamma

Dr. C. Rajeswari (TN) Prof. M.V. Rajya Lakshmi (AP)

(S.Sathyam)  
Chairman



					<p>D.El.Ed-AI.</p> <p>3.A new block is being put up for B.Ed.</p> <p>4.BCC for both the construction projects is not there. Must be given during VT Inspection.</p> <p>5.FDRs must be given later separately for each programmes</p> <p>6.Apprise the applicant of these deficiencies for necessary action</p> <p>7.Ask the VT to check in particular these points.</p> <p>8.Ask the VT to collect all the relevant documents.</p> <p>9.Cause (Composite) inspection accordingly</p>
189.	SRCAPP2613	B.Ed	Sri Srinivasa College of Education, Prakasam, Andhra Pradesh	AP	<p>1.Land area is adequate for B.Ed and D.El.Ed</p> <p>2.Built up area is adequate for 2 units of B.Ed and D.El.Ed</p> <p>3.BCC must be given during VT Inspection.</p> <p>4.Original FDRs must be given later separately for each programme.</p> <p>5.Original Blue Print of BP must be given.</p> <p>6.Apprise the applicant of these deficiencies for necessary action</p> <p>7.Ask the VT to check in particular these points.</p> <p>8.Ask the VT to collect all the relevant documents.</p> <p>9.Cause (Composite) inspection accordingly</p>
190.	SRCAPP2616	D.El.Ed	Sri Srinivasa D.Ed College, Prakasam, Andhra Pradesh	AP	<p>1.Land area is adequate for B.Ed and D.El.Ed</p> <p>2.Built up area is adequate for 2 units of B.Ed and D.El.Ed</p> <p>3.BCC must be given during VT Inspection.</p> <p>4.Original FDRs must be given later separately for each programme.</p> <p>5.Original Blue Print of BP must</p>

Members: Prof. K. Dorasami. Prof. Sandeep Ponnala. Prof. M.S. Lalithamma

Dr. C. Rajeswari (TN) Prof. M.V. Rajya Lakshmi (AP)

(S.Sathyam)  
Chairman

					<p>be given.</p> <p>6.Apprise the applicant of these deficiencies for necessary action</p> <p>7.Ask the VT to check in particular these points.</p> <p>8.Ask the VT to collect all the relevant documents.</p> <p>9.Cause (Composite) inspection accordingly</p>
191.	-----	-----	Representation of Karnataka State Universities	KA	<p>Send a reply reproducing the relevant NCTE Regulation. Clarify that both Ph.D in Edn and Ph.D in Pedagogy of Maths, Science, Social Science and, Language will be admissible qualification.</p>

192.	SRCAPP2235	B.P.Ed	Vagdevi College of Physical Education, Krishna, Andhra Pradesh	AP	<p>1.Two land documents submitted, but one EC submitted. Latest encumbrance certificate to be submitted.</p> <p>2.Built up area required for B.E B.P.Ed. D.el.Ed, D.El.Ed-AI &amp; M.F is 5500 sq.mts. Submitted built up area is 4562 sq.mts.</p> <p>3.As per BP the institution has written built up area by pen.</p> <p>4.Apprise the applicant of these deficiencies for necessary action</p> <p>5.Ask the VT to check in particular these points.</p> <p>6.Ask the VT to collect all the relevant documents.</p> <p>7.Cause (Composite) inspect accordingly</p>
193.	SRCAPP2454	M.Ed	Sri Pinnamaneni Koteswara Rao college of Education, Krishna, Andhra Pradesh	AP	<p>1.Two land documents submitted, but one EC submitted. Latest encumbrance certificate to be submitted.</p> <p>2.Built up area required for B.E B.P.Ed. D.el.Ed, D.El.Ed-AI &amp; M.F is 5500 sq.mts. Submitted built up area is 4562 sq.mts.</p> <p>3.As per BP the institution has written built up area by pen.</p> <p>4.Apprise the applicant of these deficiencies for necessary action</p>

Members: Prof. K. Dorasami. Prof. Sandeep Ponnala. Prof. M.S. Lalithamma

Dr. C. Rajeswari (TN) Prof. M.V. Rajya Lakshmi (AP)

(S.Sathyam)  
Chairman

					5. Ask the VT to check in particular these points. 6. Ask the VT to collect all the relevant documents. 7. Cause (Composite) inspection accordingly
194.	SRCAPP2398	D.El.Ed-AI	Sri Pinnamaneni Koteswara Rao college of Education, Krishna, Andhra Pradesh	AP	1. Two land documents submitted but one EC submitted. Late encumbrance certificate is to be submitted. 2. Built up area required for B.E B.P.Ed. D.el.Ed, D.El.Ed-AI & M.F is 5500 sq.mts. Submitted built up area is 4562 sq.mts. 3. Apprise the applicant of these deficiencies for necessary action 4. Ask the VT to check in particular these points. 5. Ask the VT to collect all the relevant documents. 6. Cause (Composite) inspection accordingly

**Consideration of applications for New Recognitions Causing Inspection : (Volume- 02).**

Sl. No.	Code No	Course	Name of the institutions	State	Ramrks
195.	SRCAPP2591	B.Ed	Mother College of Education, Prakasam, Andhra Pradesh	AP	1. Land area and built up area available (as per BP) are adequate for 2 units each of B.Ed/D.El.Ed 2. BCC must be given during VT Inspection. FDRs must be given later separately for each programme 3. Apprise the applicant of these deficiencies for necessary action 4. Ask the VT to check in particular these points. 5. Ask the VT to collect all the relevant documents. 6. Cause (Composite) inspection accordingly
196.	SRCAPP2596	D.El.Ed	Mother College of Education, Prakasam,	AP	1. Land area and built up area available (as per BP) are

Members: Prof. K. Dorasami. Prof. Sandeep Ponnala. Prof. M.S. Lalithamma

Dr. C. Rajeswari (TN) Prof. M.V. Rajya Lakshmi (AP)

(S.Sathyam)  
Chairman

			Andhra Pradesh		adequate for 2 units each of B.Ed/D.El.Ed 2.BCC must be given during VT Inspection. FDRs must be given later separately for each programme 3.Apprise the applicant of these deficiencies for necessary action 4.Ask the VT to check in particular these points. 5.Ask the VT to collect all the relevant documents. 6.Cause (Composite) inspection accordingly
197.	SRCAPP3004	B.Ed	Narayana College of Education , Anantapur, Andhra Pradesh	AP	1.Land area available and built up area available (According to BP/BCC) are adequate for 2 unit each of B.Ed/D.El.Ed 2.Cause composite inspection 3.Ask VT Inspection to collect all the relevant documents
198.	SRCAPP2962	D.El.Ed-AI	Narayana Teacher Training College, Anantapur, Andhra Pradesh	AP	1.Land area available and built up area available (According to BP/BCC) are adequate for 2 unit each of B.Ed/D.El.Ed 2.Cause composite inspection 3.Ask VT Inspection to collect all the relevant documents
199.	SRCAPP3159	D.El.Ed	Sri Vinayaka College of Education, Vizianagaram, Andhra Pradesh	AP	1.The case of B.Ed need not be linked with this. 2.The built-up area available (according to BP/BCC) is 1896/9 sq.mts whereas the requiremer for D.Edl.Ed+D.El.Ed-AI is 2000 sq.mtrs, i.w, 104 sqmts less. 3.Notarised LUC must be given. 4.Date of approval of BP must be shown. 5.FDRs must be produced later separately for each programme 6.Apprise the applicant of these deficiencies for necessary action 7.Ask the VT to check in particular these points. 8.Ask the VT to collect all the

Members: Prof. K. Dorasami. Prof. Sandeep Ponnala. Prof. M.S. Lalithamma

Dr. C. Rajeswari (TN) Prof. M.V. Rajya Lakshmi (AP)

(S.Sathyam)  
Chairman

					relevant documents. 9.Cause (Composite) inspection accordingly
200.	SRCAPP2764	D.El.Ed	BSR College of Education, Prakasam, Andhra Pradesh	AP	1.Land area available and built up area available (according to BP/Bcc) are adequate fr 2 units each of B.Ed/D.el.Ed 2.BCC must be given during VT Inspection. 3.FDRs must be given later separately for each programme 4.Apprise the applicant of these deficiencies for necessary action 5.Ask the VT to check in particular these points. 6.Ask the VT to collect all the relevant documents. 7.Cause (Composite) inspection accordingly
201.	SRCAPP2759	B.Ed	BSR College of Education, Prakasam, Andhra Pradesh	AP	1.Land area available and built up area available (according to BP/Bcc) are adequate fr 2 units each of B.Ed/D.el.Ed 2.BCC must be given during VT Inspection. 3.FDRs must be given later separately for each programme 4.Apprise the applicant of these deficiencies for necessary action 5.Ask the VT to check in particular these points. 6.Ask the VT to collect all the relevant documents. 7.Cause (Composite) inspection accordingly
202.	SRCAPP3052	D.El.Ed-AI	St.Josephs Teacher Training College, Anantapur , Andhra Pradesh	AP	1.The land area available for D.El.Ed+D.El.Ed-AI is adequate. 2.The built – up area available (17, 242 sq.ft) falls short by 480 sq.ft. to meet the requirement of 22000 sq.ft.

Members: Prof. K. Dorasami. Prof. Sandeep Ponnala. Prof. M.S. Lalithamma

Dr. C. Rajeswari (TN) Prof. M.V. Rajya Lakshmi (AP)

(S.Sathyam)  
Chairman

					<p>3.Original FDRs must be given later,  4.Apprise the applicant of these deficiencies for necessary action  5.Ask the VT to check in particular these points.  6.Ask the VT to collect all the relevant documents.  7.Cause (Composite) inspection accordingly</p>
--	--	--	--	--	---

203.	SRCAPP2958	B.Ed	St. Johns College of Education, Visakhapatnam, Andhra Pradesh	AP	<p>1.Land area available is adequate for all three programmes.  2.1.The built up area available is 3800 sq.mtrs. The area required for one unit of D.El.Ed+B.Ed+ Educational component BA/BScEd is 3000 sq.mtrs.  2.2.That being so, the extra built up area available is 800 sq.mts. This additional area may be required to create necessary infrastructural facilities for starting the liberal arts programme component of BA.Bed or B.Sc B.ed.  3.They must indicate whether they want BA.B.Ed or B.ScBed, is relevant here to state that the applicant must obtain approval from the concerned authority for starting the liberal arts or science component of the integrated course in reference.  4.Certificate of Registration of Society is not given.  5.BCC must be given at the time of VT Inspection.  6.FDRs must be given later separately for each programme  7.Apprise the applicant of these deficiencies for necessary action  8.Ask the VT to check in particular these points.</p>
------	------------	------	---	----	--

Members: Prof. K. Dorasami. Prof. Sandeep Ponnala. Prof. M.S. Lalithamma

Dr. C. Rajeswari (TN) Prof. M.V. Rajya Lakshmi (AP)

(S.Sathyam)  
Chairman

					<p>9. Ask the VT to collect all the relevant documents.</p> <p>10. Cause (Composite) inspection accordingly</p>
204.	SRCAPP2954	D.El.Ed	St. Johns College of Education, Visakhapatnam, Andhra Pradesh	AP	<p>1. Land area available is adequate for all three programmes.</p> <p>2.1. The built up area available is: 3800 sq.mtrs. The area required for one unit of D.El.Ed+B.Ed+ Educational component BA/BScEd is 3000 sq.mtrs.</p> <p>2.2. That being so, the extra built up area available is 800 sq.mts. This additional area may be required to create necessary infrastructural facilities for starting the liberal arts programme component of BA.Bed or B.Sc B.ed.</p> <p>3. They must indicate whether they want BA.B.Ed or B.ScBed, is relevant here to state that the applicant must obtain approval from the concerned authority for starting the liberal arts or science component of the integrated course in reference.</p> <p>4. Certificate of Registration of Society is not given.</p> <p>5. BCC must be given at the time of VT Inspection.</p> <p>6. FDRs must be given later separately for each programme</p> <p>7. Apprise the applicant of these deficiencies for necessary action</p> <p>8. Ask the VT to check in particular these points.</p> <p>9. Ask the VT to collect all the relevant documents.</p> <p>10. Cause (Composite) inspection accordingly</p>
205.	SRCAPP2965	B.A, BSc	St. Johns College of Education, Visakhapatnam, Andhra Pradesh	AP	<p>1. Land area available is adequate for all three programmes.</p> <p>2.1. The built up area available is: 3800 sq.mtrs. The area required</p>

Members: Prof. K. Dorasami. Prof. Sandeep Ponnala. Prof. M.S. Lalithamma

Dr. C. Rajeswari (TN) Prof. M.V. Rajya Lakshmi (AP)

(S.Sathyam)  
Chairman

					<p>for one unit of D.El.Ed+B.Ed+ Educational component BA/BScEd 3000 sq.mtrs.</p> <p>2.2.That being so, the extra built-u area available is 800 sq,mts. This additional area may be required to create necessary infrastructural facilities for starting the liberal art programme component of BA.Bed or B.Sc B.ed.</p> <p>3.They must indicate whether they want BA.B.Ed or B.ScBed, is relevant here to state that the applicant must obtain approval from the concerned authority for starting the liberal arts or science component of the integrated course in reference.</p> <p>4.Certificate of Registration of Society is not given.</p> <p>5.BCC must be given at the time of VT Inspection.</p> <p>6.FDRs must be given later separately for each programme.</p> <p>7.Apprise the applicant of these deficiencies for necessary action.</p> <p>8.Ask the VT to check in particular these points.</p> <p>9.Ask the VT to collect all the relevant documents.</p> <p>10.Cause (Composite) inspectio accordingly</p>
--	--	--	--	--	--

206.	SRCAPP2394	D.El.Ed- AI	Medarmetla Anjamma Mastan Rao College of Education, Guntur, Andhra Pradesh	AP	This case was taken up for reconsideration since subsequently the SRC decided on 30 Oct 15 to consider cases of 'Stand-alone' institutions also for expansion. The SRC was of the opinion that the Regulations did not specifically prohibit such expansion.
------	------------	----------------	--	----	--

Members: Prof. K. Dorasami. Prof. Sandeep Ponnala. Prof. M.S. Lalithamma

Dr. C. Rajeswari (TN) Prof. M.V. Rajya Lakshmi (AP)

(S.Sathyam)  
Chairman



207.	SRCAPP3027	D.El.Ed-AI	Prakasam, College of Education, West Godavari, Andhra Pradesh	AP	<p>1.Details relating to the liberal Education courses are not given.</p> <p>2.Land area of 3035 sq.mtrs is adequate for D.El.Ed + D.El.Ed-AI .</p> <p>3.1.In BP the land area sown is 7500 sq.mts. How much of this is for D.El.Ed and how much is for BA/BSc/B.Com is not clear.</p> <p>3.2.If the entire area is for DELED, then it is adequate for DELED +DELED-AI. In that case, however, totle to the larges area will has to be sown.</p> <p>4.BCC must be given during VT Inspsection.</p> <p>5.LUC issued by competent authority is not given.</p> <p>6.BP approved by competent authority is not given.</p> <p>7.FDRs must be given later.</p> <p>8.Apprise the applicant of these deficiencies for necessary action.</p> <p>9.Ask the VT to check in particular these points.</p> <p>10.Ask the VT to collect all the relevant documents.</p> <p>11.Cause (Composite) inspection accordingly</p>
208.	SRCAPP14912	B.Ed	Jonah College of Teacher Education, Nalgonda, Telangana	TS	Submit in the next meeting along with a note on the B.P.Ed case.
209.	SRCAPP14133	D.El.Ed-AI	Sri Venkata Sai College of Education, Prakasam, Andhra Pradesh	AP	<p>1.Land area required (3000 sq.mts) is available in the 3350 sqmtrs in Sy.No. 418/1-A.</p> <p>2.Buit up area required (4000</p>

Members: Prof. K. Dorasami. Prof. Sandeep Ponnala. Prof. M.S. Lalithamma

Dr. C. Rajeswari (TN) Prof. M.V. Rajya Lakshmi (AP)

(S.Sathyam)  
Chairman

					<p>Sq.mts) can be accommodated in the 4048 sq,mts shown in BP.  3.BCC must be submitted during VT Inspection.  4.Original Blue Print of the BP must be furnished.  5.FDRs must be given later programmewise.  6.Apprise the applicant of these deficiencies for necessary action.  7.Ask the VT to check in particular these points.  8.Ask the VT to collect all the relevant documents.  9.Cause (Composite) inspection accordingly</p>
210.	SRCAPP14144	B.Ed	Sri Venkata Sai College of Education, Prakasam, Andhra Pradesh	AP	<p>1.Land area required (3000 sq.mts) is available in the 3350 sqmts in Sy.No. 418/1-A.  2.Buit up area required (4000 Sq.mts) can be accommodated in the 4048 sq,mts shown in BP.  3.BCC must be submitted during VT Inspection.  4.Original Blue Print of the BP must be furnished.  5.FDRs must be given later programmewise.  6.Apprise the applicant of these deficiencies for necessary action.  7.Ask the VT to check in particular these points.  8.Ask the VT to collect all the relevant documents.  9.Cause (Composite) inspection accordingly</p>
211.	SRCAPP2297	D.El.Ed- AI	Silver Oaks college of Education, Krishna, Andhra Pradesh	AP	<p>1.Land area required (2500 sq,mts) is available.  2.The applicant has not submitted any other document or information.  3.Ask the VT to collect BP, BCC, LUC, EC, Affidavit during the Inspection.  4.Apprise the applicant of these deficiencies for necessary action.  5.Ask the VT to check in particular</p>

Members: Prof. K. Dorasami. Prof. Sandeep Ponnala. Prof. M.S. Lalithamma

Dr. C. Rajeswari (TN) Prof. M.V. Rajya Lakshmi (AP)

(S.Sathyam)  
Chairman

					these points. 6. Ask the VT to collect all the relevant documents. 7. Cause (Composite) inspection accordingly
212.	SRCAPP2298	D.El.Ed- AI	S S Mahita College of Education, Krishna, Andhra Pradesh	AP	1. Land area required (2500 sq.mts) is available. 2. The applicant has not submitted any other document or information. 3. Ask the VT to collect BP, BCC, LUC, EC, Affidavit during the Inspection. 4. Apprise the applicant of these deficiencies for necessary action. 5. Ask the VT to check in particular these points. 6. Ask the VT to collect all the relevant documents. 7. Cause (Composite) inspection accordingly
213.	SRCAPP14071	D.El.Ed	Elim Elementary Teacher Education college, East Godavari, Andhra Pradesh	AP	1. Land required (3000 sq.mt) is available for both B.Ed & D.El.Ed. 2. Built up area (3500 sq.mts) is required for 2 units of B.Ed and 1 unit of D.El.Ed. they are already running 2 units of B.Ed. that being so, the total built-up area of 3500 sq.mts can not accommodate even one unit of D.El.Ed. 3. Ask the VT Inspection to collect all relevant records 4. Apprise the applicant of these deficiencies for necessary action. 5. Ask the VT to check in particular these points. 6. Ask the VT to collect all the relevant documents. 7. Cause (Composite) inspection accordingly

214.			Complaint from Director of School Education, Telangana on 22 Institutions on supply of forged documents.-	Show Cause reply submitted	Send the replies, received from the 22 Teacher Education Institutions to Show Cause Notice for withdrawal of recognition, to the
------	--	--	---	----------------------------	--

Members: Prof. K. Dorasami. Prof. Sandeep Ponnala. Prof. M.S. Lalithamma

Dr. C. Rajeswari (TN) Prof. M.V. Rajya Lakshmi (AP)

(S.Sathyam)  
Chairman

					Director of TSSCERT for comments at the earliest for taking further action. Also inform the TSSCERT that as of now recognition has not been withdrawn in case of any of these institutions.
--	--	--	--	--	---