

**SOUTHERN REGIONAL COMMITTEE
NATIONAL COUNCIL FOR TEACHER EDUCATION
BANGALORE**

DECISION OF 295th MEETING OF SRC-NCTE

Sl. No.	Brief Description	Remarks of SRC
1	Confirmation of Minutes of 294 th Meeting of SRC held on 14-16 Nov, 2014	Confirmed
2	Action Taken Report (ATR) on the Minutes of 293 rd Meeting of SRC held on 29-31 Oct, 2015.	-----

Consideration of Scrutiny of application for causing inspection : (Vol-1)

1.	SRCAP P3020	D.El.Ed	Sanskara Bharathi College of Elementary Education, Srikakulam, Andhra Pradesh	AP	1.The Survey nos. in the land documents (Lease Deed and Gift Deed) and the BP are discrepant. 2.EC, LUC and Affidavit are not there. 3.BCC to be produced at the time of VT Inspection. 4.FDRs to be given later. 5.Ask VT to particularly check on the deficiencies and collect all documents. 6.Cause Composite Inspection accordingly.
2.	SRCAP P14720	M.Ed	Montessori M.Ed college, West Godavari, Andhra Pradesh	AP	1.LUC and EC are not submitted 2.BP is not approved by competent authority. 3.Cause Composite Inspection 4.Ask VT to particularly check on the deficiencies and collect all documents.

3.	SRCAP P1471 5	D.El.Ed-AI	Montessori D.Ed college, West Godavari, Andhra Pradesh	AP	1.LUC and EC are not submitted 2.BP is not approved by competent authority. 3.Cause Composite Inspection 4.Ask VT to particularly check on the deficiencies and collect all documents.
4.	SRCAP P3295	D.P.Ed	VVS college of Physical Education, East Godavari, Andhra Pradesh	AP	1.Bye Laws not submitted 2.EC not given for all Sy,Nos. 3.BP is not approved. 4.Cause Composite Inspection. 5. Ask VT to particularly check on the deficiencies and collect all documents.
5.	SRCAP P2532	D.El.Ed	AM Reddy D.El.Ed college, Guntur, Andhra Pradesh	AP	1.Bye Laws not submitted 2.BP is not approved.. 3.EC is old; but, it refers to some mortgage. They should clarify the correct current position.. 4.Issue Show Cause Notice for clarification.
6.	SRCAP P1474 7	D.P.Ed	Sri Veera Jagannadh Educational Society, Visakhapatnam, Andhra Pradesh	AP	1.Cause Composite Inspection. 2.BCC to be produced at the time of VT Inspection. 3.Original FDRs to be given later. 4. Ask VT to particularly check on the deficiencies and collect all documents.
7.	SRCAP P1455 1	M.P.Ed	Sri Veera Jagannadh Educational Society, Visakhapatnam, Andhra Pradesh	AP	1.Cause Composite Inspection. 2.BCC to be produced at the time of VT Inspection. 3.Original FDRs to be given later. 4. Ask VT to particularly check on the deficiencies and collect all documents.
8.	SRCAP P2430	D.P.Ed	D R K Reddy College of Physical Education, East Godavari, Andhra Pradesh	AP	1.BP is not approved by competent authority. 2.Cause Composite Inspection. 3. Ask VT to particularly check on the deficiencies and collect all documents.

9.	SRCAP P2806	D.El.Ed-AI	Saketh College of Elementary Education, West Godavari, Andhra Pradesh	AP	1.The Language courses we can not refer to since they are not in the list of NCTE approved courses. 2.B.Ed application has been rejected already 3.They have only D.El.Ed. The Regulations do not specifically forbid stand-alone institutions from expanding. They have only to move gradually towards composite status. That being so, their application for an Additional Unit is allowed. 4.Cause composite Inspection for D.Ed and D.Ed-AI.
10.	SRCAP P2375	B.Ed	Reshma College of Education, Hyderabad, Telangana	TS	1.The application for D.El.Ed was returned because of the 'ban order' for 2016-17, with that the 'composite' nature of the application was lost. Regulation 8(1) states that all new institutions should be in composite situations. 2.Issue SCN for refusal of permission.
11.	SRCAP P1510 6	B.A B.Ed B.Sc B.Ed	Siddartha College of integrated Degree College, Nalgonda, Telangana	TS	1.BP is not approved. 2.LUC, EC not given. 3.Cause composite inspection. 4.Applicant has to choose whether they want BA B.Ed or B.SC B.Ed. 5. Ask VT to particularly check on the deficiencies and collect all documents..
12.	SRCAP P1453 6	D.El.Ed	Anitha Venkateswara Rao D.El.Ed college, Guntur, Andhra Pradesh	AP	1.EC does not seem to indicate the extent of coverage of land area involved. Needs clarification 2.Cause Composite Inspection 3. . Ask VT to particularly check on the deficiencies and collect all documents.
13.	SRCAP P1503 2	B.P.Ed	Stanford college of Physical Education, Nalgonda, Telangana	TS	1.Certificate of Registration of Society and affidavit not given. 2.Cause Composite Inspection. .3. Ask VT to particularly check on the deficiencies and collect all documents.

14.	SRCAP P1448 4	D.El.Ed-AI	Sarvepalli College of Elementary Education, Vizianagaram, Andhra Pradesh	AP	1.Cause Composite Inspection. 2.Ask VT to particularly check on the deficiencies and collect all documents.
15.	SRCAP P1509 2	B.Ed	Vishwa Bharathi College of Education, Rangareddy, Telangana	TS	1.BP is not approved. 2.Built-up area, as per BCC, is inadequate. 3.FDRs should be produced later. 4.Cause Composite Inspection. 5.. Ask VT to particularly check on the deficiencies and collect all documents.
16.	SRCAP P2507	D.El.Ed	Sir CRR college of Elementary Teacher Education, West Godavari, Andhra Pradesh	AP	1.SY.No. is not given in BP 2.BCC is not submitted. 3.FDRs to be produced later. 4.Cause Composite Inspection. 5.Ask VT to particularly check on the deficiencies and collect all documents.
17.	SRCAP P3252	D.El.Ed	Dr. B J L Elementary teacher Education, Vizianagaram, Andhra Pradesh	AP	1.We can not reckon with Language courses as they are not in the NCTE list of approved courses.
18.	SRCAP P3195	B.Ed	P. Narayana Reddy College of Education, Mahabubnagar, Telangana	TS	1.BP is not approved by competent authority. 2.Built up area as shown in BP is adequate only for one unit of each course. 3.BCC is not given. 4.FDRs should be submitted later. 5.Cause composite Inspection. 6. Ask VT to particularly check on the deficiencies and collect all documents
19.	SRCAP P3533	D.El.Ed	Purandareswari College of Education, Vizianagaram, Andhra Pradesh	AP	1.For 'Composite' status they must establish contiguity of the B.Ed programme. 2.Bye-laws and Society Registration certificate not given. 3.BCC to be produced during VT Inspection; and, original FDRs later, 4.Built-up area is inadequate. 5.Cause Composite Inspection. 6. Ask VT to particularly check on the deficiencies and collect all documents

20.	SRCAP P2765	D.El.Ed-AI	Divya Institute of Education and Training College, East Godavari, Andhra Pradesh	AP	1. Locational contiguity of the B.Ed programme should be established to sustain the claim for 'composite' status. 2. FDRs should be produced later. 3. Cause Composite Inspection. 4. Ask VT to particularly check on the deficiencies and collect all documents
21.	SRCAP P1411 4	B.Ed	Wisdom College of Education, Prakasam, Andhra Pradesh	AP	1. BP is not approved. 2. LUC is not given. 3. FDRs to be given later. 4. Cause Composite Inspection. 5. Ask VT to particularly check on the deficiencies and collect all documents
22.	SRCAP P1411 2	D.El.Ed	Wisdom College of Education, Prakasam, Andhra Pradesh	AP	1. BP is not approved. 2. LUC is not given. 3. FDRs to be given later. 4. Cause Composite Inspection. 5. Ask VT to particularly check on the deficiencies and collect all documents
23.	SRCAP P2357	B.Ed	Sri Saraswathi B.Ed college, Kurnool, Andhra Pradesh	AP	1. BP shows inadequate built-up area. 2. FDRs to be given later. 3. Cause Composite Inspection. 4. Ask VT to particularly check on the deficiencies and collect all documents
24.	SRCAP P2966	D.El.Ed-AI	Sainathram, D.El.Ed college, Kurnool, Andhra Pradesh	AP	1. BP shows inadequate built-up area. 2. FDRs to be given later. 3. Cause Composite Inspection. 4. Ask VT to particularly check on the deficiencies and collect all documents

25.	SRCAP P2452	D.El.Ed-AI	Sharon D.Ed College, Prakasam, Andhra Pradesh	AP	1.This is another case of a stand-alone institution. Expanding. 2.B.Ed application has been rejected already. 3.They have only D.El.Ed. The Regulations do not specifically forbid stand-alone institutions from expanding. They have only to move gradually towards composite status. That being so, their application for Additional Course is allowed. 3.Cause Composite Inspection. 4.FDRs to be given later.
26.	SRCAP P3609	B.Ed	Loyola College of Education, Prakasam, Andhra Pradesh	AP	1.Bp is in the name only of D.El.Ed 2.Built up area is inadequate even for B.EL.Ed and B.Ed 3.Land area is adequate. 4.FDRs to be given later. 5.Cause composite Inspection. 6.Ask VT to particularly check on the deficiencies and collect all documents
27.	SRCAP P3608	D.El.ED-AI	Loyola college of Elementary Teacher Education, Prakasam, Andhra Pradesh	AP	1.Bp is in the name only of D.El.Ed 2.Built up area is inadequate even for B.EL.Ed and B.Ed 3.Land area is adequate. 4.FDRs to be given later. 5.Cause composite Inspection. 6.Ask VT to particularly check on the deficiencies and collect all documents
28.	SRCAP P3591	B.P.Ed	Sri Venkateswara College of Physical Education, Prakasam, Andhra Pradesh	AP	1.LUC is not there. 2.Built-up area in a separate building on the same land is adequate. 3.Land area is adequate. 4.BCC to be produced during VT Inspection. 5.FDRs to be given later. 6.Cause Composite Inspection. 7. Ask VT to particularly check on the deficiencies and collect all documents.

Consideration of New application: (Volume- 2).

29.	SRCAP P2879	D.El.Ed	Almomin College of Education, Prakasam, Andhra Pradesh	AP	1.Built up area is adequate only for one unit of D.El.Ed besides 2 continuing units of B.Ed. 2.BP is not at all clear or legible. 3.FDRs to be given later. 4.Cause Composite Inspection. 5. Ask VT to particularly check on the deficiencies and collect all documents.
30.	SRCAP P1410 1	B.Ed	Sai Pradeep college of Education, Prakasam, Andhra Pradesh	AP	1.FDRs to be given later. 2.Cause Composite Inspection 3.VT to collect all relevant documents.
31.	SRCAP P1410 3	D.El.Ed	Sai Pradeep D.El.Ed College, Prakasam, Andhra Pradesh	AP	1.FDRs to be given later. 2.Cause Composite Inspection 3.VT to collect all relevant documents.

32.	SRCAP P2923	B.Ed	Global College of Education, Prakasam, Andhra Pradesh	AP	1.Built-up area is inadequate. 2.Society bye-laws are not given. 3.Land area is adequate for D.El.Ed, D.El.Ed-AI and B.Ed. 4.BCC to be given during VT Inspection. 5.FDRs to be given later. 6.cause composite Inspection. 7. Ask VT to particularly check on the deficiencies and collect all documents.
33.	SRCAP P2921	D.El.Ed-AI	Global D.Ed college, Prakasam, Andhra Pradesh	AP	1.Built-up area is inadequate. 2.Society bye-laws are not given. 3.Land area is adequate for D.El.Ed, D.El.Ed-AI and B.Ed. 4.BCC to be given during VT Inspection. 5.FDRs to be given later. 6.cause composite Inspection. 7. Ask VT to particularly check on the deficiencies and collect all documents.
34.	SRCAP P1476 0	D.El.Ed	Sri Vivekananda D.Ed college, Prakasam, Andhra Pradesh	AP	1.BCC to be given during VT Inspection. 2.FDRs to be furnished later. 3.Cause Composite Inspection. 4. Ask VT to particularly check on the deficiencies and collect all documents.
35.	SRCAP P1494 5	B.Ed	Sri Vivekananda B.Ed college, Prakasam, Andhra Pradesh	AP	1.BCC to be given during VT Inspection. 2.FDRs to be furnished later. 3.Cause Composite Inspection. 4. Ask VT to particularly check on the deficiencies and collect all documents.

36.	SRCAP P3031	B.A B.Ed	MNR B.A B.Ed College, Kurnool, Andhra Pradesh	AP	<p>1.Built up area is adequate only for one unit of BA.B.Ed , B.Ed; and D.El.Ed.</p> <p>2.FDRs to be given later.</p> <p>3.Approval for the liberal Education component of the infrastructure/Curriculum/Syllabus should be taken from the affiliating University concerned.</p> <p>4. Cause Composite Inspection.</p> <p>5. Ask VT to particularly check on the deficiencies and collect all documents.</p>
37.	SRCAP P3074	D.El.Ed	MNR D.Ed college, Kurnool, Andhra Pradesh	AP	<p>1.Built up area is adequate only for one unit of BA.B.Ed , B.Ed; and D.El.Ed.</p> <p>2.FDRs to be given later.</p> <p>3.Approval for the liberal Education component of the infrastructure/Curriculum/Syllabus should be taken from the affiliating University concerned.</p> <p>4. Cause Composite Inspection.</p> <p>5. Ask VT to particularly check on the deficiencies and collect all documents.</p>
38.	SRCAP P3091	B.Ed	MNR B.Ed college, Kurnool, Andhra Pradesh	AP	<p>1.Built up area is adequate only for one unit of BA.B.Ed , B.Ed; and D.El.Ed.</p> <p>2.FDRs to be given later.</p> <p>3.Approval for the liberal Education component of the infrastructure/Curriculum/Syllabus should be taken from the affiliating University concerned.</p> <p>4. Cause Composite Inspection.</p> <p>5. Ask VT to particularly check on the deficiencies and collect all documents.</p>

39.	SRCAP P1466 0	D.El.Ed-AI	Sindhura College of Elementary Education, Prakasam, Andhra Pradesh	AP	1.BCC not given. 2.According to BP built up area is inadequate. 3.Latest EC is required for both Sy.nos. 4. Cause Composite Inspection. 5. Ask VT to particularly check on the deficiencies and collect all documents.
40.	SRCAP P2929	B.Ed	Sri Manjunadha College of Education, Prakasam, Andhra Pradesh	AP	1.This applicant has applied for both B.Ed and D.El.Ed. The application for D.El.Ed was not covered by NOC. A Show Cause Notice has, therefore, been issued. 2.Since B.Ed and D.El.Ed are both dependent on each other for showing the composite status, we will have to await the outcome in the D.El.Ed case.
41.	SRCAP P3592	D.El.Ed-AI	Kandula Obula Reddy D.Ed college, Prakasam, Andhra Pradesh	AP	1.B.Ed application has been rejected already 2.They have only D.El.Ed. The Regulations do not specifically forbid stand-alone institutions from expanding. They have only to move gradually towards composite status. That being so, their application for an Additional Unit is allowed. 3.FDRs to be submitted later. 4.Cause Composite inspection. 5.VT should collect all relevant documents.
42.	SRCAP P3456	D.El.Ed	Pemmasani Sambasiva Rao College of Elementary Education, Guntur, Andhra Pradesh	AP	1.B.Ed and D.El.Ed are indifferent Sy.Nos. Locational contiguity must be established. 2.Built-up area is not adequate for the 2 programmes. 3.FDRs to be given later. 4.Cause Composite Inspection. 5. Ask VT to particularly check on the deficiencies and collect all documents.

43.	SRCAP P1447 7	B.A B.Ed B.Sc B.Ed	Om Sai Com 4 years Integrated Programme, Visakhapatnam, Andhra Pradesh	AP	1They must decided whether they want BA.,B,Ed or BSc.,B.Ed 2.Society Registration certificate is not there. 3.BP is not approved by Competent Authority. 4.FDRS to be given later. 5.Cause Composite Insepction. 6. Ask VT to particularly check on the deficiencies and collect all documents. 7. Cause composite inspection. 8.Applicant has to choose whether they want BA B.Ed or B.SC B.Ed.
44.	SRCAP P1422 7	B.Ed	Om Sai Com B.Ed college, Visakhapatnam, Andhra Pradesh	AP	1They must decided whether they want BA.,B,Ed or BSc.,B.Ed 2.Society Registration certificate is not there. 3.BP is not approved by Competent Authority. 4.FDRS to be given later. 5.Cause Composite Insepction. 6. Ask VT to particularly check on the deficiencies and collect all documents. 7. Cause composite inspection. 8.Applicant has to choose whether they want BA B.Ed or B.SC B.Ed.
45.	SRCAP P3234	D.El.Ed-Ai	Om sai Com D.Ed college, Visakhapatnam, Andhra Pradesh	AP	1They must decided whether they want BA.,B,Ed or BSc.,B.Ed 2.Society Registration certificate is not there. 3.BP is not approved by Competent Authority. 4.FDRS to be given later. 5.Cause Composite Insepction. 6. Ask VT to particularly check on the deficiencies and collect all documents. 7. Cause composite inspection. 8.Applicant has to choose whether they want BA B.Ed or B.SC B.Ed.

46.	SRCAP P1448 1	D.El.Ed	Ameena D.El.Ed college, Kurnool, Andhra Pradesh	AP	1.BCC, & EC are not there. 2.Original FDRs to be given later. 3.Cause Composite Inspection. 4. Ask VT to particularly check on the deficiencies and collect all documents.
47.	SRCAP P1446 9	B.Ed	Abdulla B.Ed college, Kurnool, Andhra Pradesh	AP	1.BCC, & EC are not there. 2.Original FDRs to be given later. 3.Cause Composite Inspection. 4. Ask VT to particularly check on the deficiencies and collect all documents.
48.	SRCAP P3019	D.El.Ed	Asham College of Education, Prakasam Andhra Pradesh	AP	1.Cause Composite Inspection for 2 units of each programme. 2.FDRs to be given later, 3. Ask VT to particularly check on the deficiencies and collect all documents.
49.	SRCAP P3024	B.Ed	Asham College of Education, Prakasam, Andhra Pradesh	AP	1.Cause Composite Inspection for 2 units of each programme. 2.FDRs to be given later, 3. Ask VT to particularly check on the deficiencies and collect all documents.
50.	SRCAP P1498 5	B.P.Ed	Cheran College of Physical Education, Karur, Tamilnadu	TN	1.LUC covers only 5 acres and not the entire area required for the 2 programmes. 2.FDRs to be given later. 3.Cause Composite Insepction. 4. Ask VT to particularly check on the deficiencies and collect all documents.
51.	SRCAP P3444	D.El.Ed-AI	Sree Rama Institute of Elementary Teacher Education, Chittoor, Andhra Pradesh		1.Land area is adequate with good title. 2.Built – up area is adequate 3.BP not approved by competent authority. 4.FDRs to be given later. 5.Cause Composite Insepction 6. Ask VT to particularly check on the deficiencies and collect all documents.

52.	SRCAP P2930	D.El.Ed-AI	Vagdevi College of Education, Vizianagaram, Andhra Pradesh	AP	1.LUC, EC, and NOC of SCERT refer to some location, whereas the land in reference is actually located elsewhere. 2.Issue Show Cause Notice for refusal.
53.	SRCAP P2878	D.El.Ed	Shamululoom College of Education, Prakasam, Andhra Pradesh	AP	1.BP is not clear. A clearer blue print of BP is required. 2.BCC to be given during VT Inspection. 3.FDRs to be given later. 4.Cause Composite Inspection. 5. Ask VT to particularly check on the deficiencies and collect all documents.
54.	SRCAP P2912	D.El.Ed	Royal D.Ed college, Prakasam, Andhra Pradesh	AP	1.Approved BP with all details is required. 2.BCC and LUC are not there. BCC to be given during VT Inspection. 3.FDRs to be given later. 4.Cause Composite Inspection. 5. Ask VT to particularly check on the deficiencies and collect all documents.
55.	SRCAP P2909	B.Ed	Royal College of Education, Prakasam, Andhra Pradesh	AP	1.Approved BP with all details is required. 2.BCC and LUC are not there. BCC to be given during VT Inspection. 3.FDRs to be given later. 4.Cause Composite Inspection. 5. Ask VT to particularly check on the deficiencies and collect all documents.
56.	SRCAP P1502 4	B.Ed	Geethanjali B.Ed College, Guntur, Andhra Pradesh	AP	1.Land area is inadequate. 2.Built-up area is inadequate. 3.BP is not approved by competent authority 4.FDRs to be given later \ 5. Cause Composite Inspection. 6. Ask VT to particularly check on the deficiencies and collect all documents.

57.	SRCAP P3519	D.El.Ed-AI	Geethanjali D.Ed college, Guntur, Andhra Pradesh	AP	1.Land area is inadequate. 2.Built-up area is inadequate. 3.BP is not approved by competent authority 4.FDRs to be given later \ 5. Cause Composite Inspection. 6. Ask VT to particularly check on the deficiencies and collect all documents.
58.	SRCAP P1467 4	D.El.Ed	Esha Jawahar College of Education, Kadapa, Andhra Pradesh	AP	1.BCC to be produced during VT Inspection. 2.FDRs to be given later. 3.Cause Composite Inspection. 4. Ask VT to particularly check on the deficiencies and collect all documents.
59.	SRCAP P1467 6	B.Ed	Esha Jawahar College of Education, Kadapa, Andhra Pradesh	AP	1.BCC to be produced during VT Inspection. 2.FDRs to be given later. 3.Cause Composite Inspection. 4. Ask VT to particularly check on the deficiencies and collect all documents.
60.	SRCAP P1502 0	D.P.Ed	Sri Vivekananda D.P.Ed college , Prakasam, Andhra Pradesh	AP	1.Land is adequate for B.P.Ed (1 unit), B.P.Ed-AI(1 Unit) and D.P.Ed (1 Unit) 2.Title to lands is there. 3.BCC to be given during VT Inspection 4.Latest EC required. 5.FDRs to be given later 6.Cause Composite Inspection 7. Ask VT to particularly check on the deficiencies and collect all documents

61.	SRCAP P1510 4	B.P.Ed-AI	Sri Vivekananda B.P.Ed College, Prakasam, Andhra Pradesh	AP	<p>1.Land is adequate for B.P.Ed (1 unit), B.P.Ed-AI(1 Unit) and D.P.Ed (1 Unit)</p> <p>2.Title to lands is there.</p> <p>3.BCC to be given during VT Inspection</p> <p>4.Latest EC required.</p> <p>5.FDRs to be given later</p> <p>6.Cause Composite Inspection</p> <p>7. Ask VT to particularly check on the deficiencies and collect all documents</p>
62.	SRCAP P1474 2	D.El.Ed-AI	Sri Vivekananda D.Ed college, Prakasam, Andhra Pradesh	AP	<p>1.D.El.Ed is in a different land and different building.</p> <p>2.The language courses we can not refer to since they are not in the list of NCTE approved courses.</p> <p>3.Land area and builtup area are adequate for D.El.Ed(1unit) and D.El.Ed-AI(1Unit)</p> <p>4.FDRs to be given later.</p> <p>5.Cause composite Inspection</p> <p>6. Ask VT to particularly check on the deficiencies and collect all documents</p>
63.	SRCAP P1421 7	D.El.Ed-AI	Srinivasa College of Education, Chittoor, Andhra Pradesh	AP	<p>1.Built up area is inadequate for D.EL.Ed (1Unit), D.El.Ed-AI(1Unit), B.Ed(2 Units) and M.Ed(1 unit)</p> <p>2.Land area is adequate.</p> <p>3.FDRs to be given later</p> <p>4. Cause composite Inspection</p> <p>5. Ask VT to particularly check on the deficiencies and collect all documents</p>
64.	SRCAP P1456 7	M.Ed	Srinivasa College of Education, Chittoor, Andhra Pradesh	AP	<p>1.Built up area is inadequate for D.EL.Ed (1Unit), D.El.Ed-AI(1Unit), B.Ed(2 Units) and M.Ed(1 unit)</p> <p>2.Land area is adequate.</p> <p>3.FDRs to be given later</p> <p>4. Cause composite Inspection</p> <p>5. Ask VT to particularly check on the deficiencies and collect all documents</p>

65.	SRCAP P2937	B.Ed	Sri Rajarajeshwari College of Education, Prakasam, Andhra Pradesh	AP	
66.	SRCAP P2938	D.El.Ed	Sri Rajarajeshwari D.El.Ed College, Prakasam, Andhra Pradesh	AP	
67.	SRCAP P3217	B.Ed	Brundavan B.Ed college, Kurnool, Andhra Pradesh	AP	1.Built up area is adequate for 2 units of one programme and 1 unit of another programme. 2.BCC should be produced during VT Inspection. 3.FDRs should be given later. 4.Cause Composite Inspection. 5. Ask VT to particularly check on the deficiencies and collect all documents.
68.	SRCAP P2553	D.El.Ed	Brundavan D.El.Ed college , Kurnool, Andhra Pradesh	AP	1.Built up area is adequate for 2 units of one programme and 1 unit of another programme. 2.BCC should be produced during VT Inspection. 3.FDRs should be given later. 4.Cause Composite Inspection. 5. Ask VT to particularly check on the deficiencies and collect all documents.

Members: Prof. K. Dorawami. Prof. Sandeep Ponnala, Prof. M.S. Lalithamma, Dr. C. Rajeswari (TN)

(S. Sathyam)
Chairman