

Decisions of 339th Meeting of SRC-NCTE

Sl. No.	Brief Description	Remarks of SRC
1.	Confirmation of Minutes of 338 th Meeting of SRC 01 st - 03 rd May, 2017	Confirmed
2.	Action Taken Report (ATR) on of 337 th Meeting of SRC 25 th & 26 th April, 2017	Noted

20.	SRCAPP1094	D.Ed 1 Unit	Nayana Sri D.Ed College, Medak, Telangana	TS	<ol style="list-style-type: none">1. As directed by the Appellate Authority, the College has now given the Fire Safety Certificate.2. Send it to the Dist. Fire Safety Officer concerned requesting for confirmation of its genuineness.3.1 They have applied for shifting the D.El.Ed.(1 unit) course to a new location. We can proceed to consider this request only after restoring recognition based on the District Fire Safety Officer's reply about the genuineness of the Fire Safety Certificate.3.2 In the meanwhile, process the documents furnished, after collecting the full fee.
-----	------------	----------------	---	----	--

21.	SRCAPP92	D.El.Ed	Holy Path College Education, Khammam, Telangana	TS	<p>1. Even as the complaint about submission of a bogus title deed was in progress, the applicant applied for permission to shift</p> <p>2.1 By mistake, the title deed (pertaining to the new site) submitted by the applicant was sent to the sub-Registrar for verification.</p> <p>2.2 The verification report given by the sub-Registrar is, therefore, not of much to us.</p> <p>3. Send the title deed submitted by them, in the SRCAPP92 case, to the Sub-Registrar for verification.</p> <p>4.1 We can consider this case further only after receiving the Sub-Registrar's reply.</p> <p>4.2 In the meanwhile, keep in abeyance their request for shifting.</p>
22.	APS09479	B.Ed 2 Units	M.R.R College of Education, Krishna, Andhra Pradesh	AP	<p>1. This is a RPRO case. NCTE(HQ) have advised that no inspection is required(in the normal course) in such cases. Inspection is taken up only where adequacy of built-up area is to be verified.</p> <p>2. In this case, for B.Ed.(2 units) and D.El.Ed.(1 unit), 3500 sq.mts. of built-up area is required. But, only 2509 sq.mts.</p>

					<p>are available which is inadequate.</p> <p>3. Faculty list is certified by the Registrar only in the last page. The other pages are certified only by a co-ordination(CDC) which is not acceptable.</p> <p>3.1 Service Certificate of Principal is not given.</p> <p>3.2 In the perspective Group, no qualified person has been shown. The only Asst. Prof. shown for Perspectives is also not qualified as he does not have B.Ed.</p> <p>3.3 In the Pedagogy Group, one Asst. Prof.(Phy.Sc.) is not qualified for want of M.Ed. degree; Another Asst. Prof.(Phy.Sc.) has been shown to have a degree of M.Sc.(Phy.Sc.); it has to be checked whether such a degree has been recognized by NCTE in their 2014 Regulations.</p> <p>3.4 Out of the 3 Asst. Profs. in Soc. Sc.(Pedagogy) one (Shri. Anil Kumar) is not qualified as he scored < 55 marks.</p> <p>3.5 No Faculty is available to teach Fine Arts.</p> <p>4. Issue SCN accordingly.</p>
--	--	--	--	--	---

23.	APS08267	D.T.Ed	Menakshi Ramasamy College Education, Perambalur, Tamilnadu of	TN	<p>1. There is some confusion about apprising the SCERT of our decisions.</p> <p>2.1 The earlier decision in this case was to withdraw recognition for the D.El.Ed. course. Subsequently, in the 338th meeting, that decision was reviewed and cancelled.</p> <p>2.2 The SRC required the SRO to notify the SCERT of this change.</p> <p>2.3 The confusion has arisen because the SRO did not communicate the first decision itself to the SCERT.</p> <p>2.4 It will be better now to write a letter to the SCERT explaining the entire sequence of events so that they do not get confused by any part information flowing to them.</p>
24.	SRCAPP1553	D.El.Ed	Raga College of Education, Khammam, Telangana.	TS	<p>1. The NCTE(HQ) forwarded the complaint in this case and asked for a report in 15 days.</p> <p>2.1 In accordance with the accepted procedure for dealing with such cases, the SRC required the SRO to obtain an affidavit from the complainant affirming the complaint.</p>

					<p>2.2 No reply has been received from the complainant.</p> <p>2.3 The SRC has, therefore, decided to close the case.</p> <p>3. NCTE(HQ) may be informed accordingly.</p>
25.	APS02145	B.Ed 2 Units	Sriman Dharamsingh B.Ed College, Gulbarga, Karnataka	KA	<p>0. This is a RPRO (shifting) case.</p> <p>1. Title is clear. Land area is adequate.</p> <p>2. LUC is in order.</p> <p>3. Latest EC is required.</p> <p>4. BP is in order. Shows built-up area as 5407.83 sq.mts.</p> <p>5.1 BCC is not in format; and, not approved by competent authority.</p> <p>5.2 No information about built-up area is given.</p> <p>5.3 FDRs in original, in joint account, with a 5-year validity@ 7+5 lakhs for each programme is required to be given.</p> <p>6. The 7 deficiencies listed in the VT inspection report should be rectified.</p> <p>7.1 Faculty list is not in original; it is only a</p>

					<p>photocopy.</p> <p>7.2 The list is not signed by the Registrar on all pages.</p> <p>7.3 Principal has no M.Ed. and no adequate teaching experience.</p> <p>7.4 One Asst. Prof.(Psy.) in Perspectives Group is required.</p> <p>7.5 In the Perspective Group, out of 4 only 2 Asst. Profs. are there; and, out of the 2, one is qualified.(Ms. Prema- Asst. Prof.)</p> <p>7.6 There is no Asst. Prof.(Fine Arts).</p>
26.	APS02113	B.Ed 2 Units	Sri Lakshman Rao Jarkiholi College of Education, Belgaum, Karnataka	KA	<ol style="list-style-type: none"> 1. This is a RPRO case. 2. Title is clear. Land area is adequate. 3. LUC is in order. 4. Latest EC is required. 5. BP is in order. Built-up area shown is 1910.83 sq.mts. Built-up area is inadequate for B.Ed.(2 units). 6. BCC-not given. 7. FDRs in original, in joint account, with a 5- year validity @7+5 lakhs for each programme are required. 8. Faculty list is not in original; not in the

					<p>format; and not duly approved by the Registrar.</p> <p>8.1 Service Certificate of Principal is not given.</p> <p>8.2 For the Persp. Group, 3 more qualified Asst. Profs. are required in Phil./Sociolo./Psychology.</p> <p>8.3 2 Asst. Profs. are required in Science(Pedagogy). The person currently working as Asst. Prof.(Sc.Pedagogy) is not qualified.</p> <p>8.4 Asst. Prof.(FA) and Asst. Prof.(PA) are not qualified.</p> <p>9. Issue SCN accordingly.</p>
27.	APS04705	B.Ed 1 Unit	Vagdevi College of Education, Shivamoga, Karnataka	KA	<p>1. Land documents are there. Title is clear. Sy.No.(47/2) is shown. Land area is not indicated. Ask them to clarify.</p> <p>2. LUC is in order.</p> <p>3. EC does not show who has issued it and whether there is any encumbrance. Entries are not legible.</p> <p>4. BP is in order. Built-up area shown is 1456.34 sq.mts. This is inadequate even for one unit of B.Ed. BP does not show the Sy.No.</p>

					<p>5. BCC is approved. It shows an additional Sy.No.38. Whether Sy.No.38 is covered by the title deed is not clear. The built-up area shown is 1503.27 sq.mts. which is violative of the 1456.34 sq.mt. limit imposed by the BP.</p> <p>6. FDRs in original , in joint account, with a 5-year validity @7+5 lakhs for each programme is required.</p> <p>7. Faculty list is not in format; not approved by Registrar.</p> <p>8. Issue SCN accordingly.</p>
28.	APS01886	B.Ed 1 Unit	Shri Gurushantappa Jawali Memorial Trust Residential College of Education, Gulbarga, Karnataka	KA	<p>1. This is a RPRO shifting case.</p> <p>2.1 It is not clear where they want to shift.</p> <p>2.2 Available information indicates that they want to move into a new building at the same location.</p> <p>3.1 The old building has only asbestos roofing. The BCC very clearly and categorically points this out.</p> <p>3.2 It is not clear how they got recognition and how they have been functioning all along.</p> <p>3.3 'Asbestos' is considered to be extremely</p>

					<p>harmful to health and is totally banned.</p> <p>4. There is nothing on record to show the present status of the new building. We cannot process this case in this ambiguous back ground.</p> <p>5.1 Irrespective of other considerations, we have to take severe adverse notice of their callous attitude towards the welfare of students and teachers exposed to the vulnerability of being badly affected by the 'asbestos' roofing. Accordingly, we decide that running the B.Ed. course in the old building should be halted at the completion of the 2016-17 academic session. They shall not make any new admissions for 2017-18 unless acceptable alternative arrangements are made available, with prior approval of NCTE, for continuing the B.Ed. course.</p> <p>5.2 It must be recognized that presence of 'asbestos' even in the neighbourhood of the new building will be objectionable. In other words, immediately on completion of the 2016-17 academic</p>
--	--	--	--	--	--

					<p>year, the asbestos roofing must be completely dismantled and physically moved out. This would mean that the new building has to be totally self-sufficient.</p> <p>6. Students in the 2nd year of B.Ed., if they cannot be accommodated as described above, will have to be shifted with the help of the affiliating University, to some other nearby colleges.</p> <p>7. Issue SCN accordingly. Ask for their response urgently. Put up in the meeting on 15 June 17.</p>
29.	APSO2702	D.El.Ed 2 Units	V.P.R institute of Elementary Teacher Education, Kadapa, Andhra Pradesh	AP	<p>1. This is a RPRO case which includes a request for change of management.</p> <p>2. NCTE(HQ) have advised that there is no provision in the Regulations for change of management. Accordingly, they have advised to reject all such requests.</p> <p>3. This case, however, cannot be covered by this embargo. In the linked B.Ed. case (no.APS00025) we had permitted the change much earlier.</p> <p>4. The built-up area available only 2864 whereas the requirement for B.Ed.(2</p>

					<p>units) and D.El.Ed.(2 units) is 4000 sq.mts.(1500+1500+500+500). They have to decide whether they want D.El.Ed.(2 units) or B.Ed.(2 units) at the new site so that recognition for the other can be withdrawn.</p> <p>5. FDRs are required in original, in joint account, with a 5-year validity@7+5 lakhs for each programme.</p> <p>6. Faculty list is not in original and not in the prescribed format. Original list, duly approved in each page by the Director(SCERT) is required.</p> <p>6.1 Principal's Service Certificate is not given.</p> <p>6.2 There is no Lecturer(Persp.) although 3 are required.</p> <p>6.3 Lecturer(Pedagogy) appointed in Science, Maths, English and Telugu are not qualified as they have no M.Ed.</p> <p>6.4 Lecturers(Pedagogy) are required @ 2 in Science, 2 in Maths, 3 in English/Regional language and 1 in Social Science.</p> <p>6.5 2 Lecturers in P.A. and F.A. and, 1 Lecturer(Phy.Ed.) are required.</p> <p>7 Issue SCN accordingly.</p>
--	--	--	--	--	--

30.	APSO0025	B.Ed 2 Units	VPR College of Education, Kadapa, Andhra Pradesh	AP	<ol style="list-style-type: none"> 1. The change of management has been effected. 2. The new land belongs to the new management. Land area is adequate. 3. LUC – not given. 4. Latest EC is required. 5. BP – not given. 6. BCC is approved. Built-up area required is 3500 sq.mts; but, only 2864 sq.mts. are available. Only D.El.Ed.(2 units) or B.Ed.(2 units) can shift. They must choose which one they want to retain so that recognition for the other can be withdrawn. 7. FDRs are required in original, in joint account, with a 5-year validity@7+5 lakhs for each programme. 8.1 Faculty list is only in a photocopy. Original, duly approved by the Registrar in each page is required. 8.2 Service Certificate of Principal is not given. 8.3 Asst. Prof.(Persp.) – 2 more (Socio/Phil.) are required. 8.4 In Pedagogy – One Asst. Prof.(Social Science) is required. 8.5 One Assistant Prof.(Fine Arts) is required. 9 Issue SCN accordingly.
31.	APS05736	B.Ed 2 Units	Shri Sai B.Ed College, Hubli, Karnataka	KA	<ol style="list-style-type: none"> 1. Title to land(Sy.No. 161/2 & 161/3) is there. Land area 5.60 acres is adequate for B.Ed.(2 units). 2. Name of the Trust is not given in the

					<p>LUC.</p> <p>3. EC is only for Sy.No.161/2. We need for Sy.No.161/3 also.</p> <p>4. BP is only for Sy.No.161/2 admeasuring 3.60 acres.</p> <p>5. BCC is signed by the Municipal Commissioner approving it. BCC is also only for Sy.No.161/2.</p> <p>6.1 Faculty list is not approved by Registrar in every page. It is also only a photocopy and not in original.</p> <p>6.2 Principal has no Ph.D. Experience certificate is not there.</p> <p>6.3 Subject specializations of Faculty are not given.</p> <p>6.4 Faculty list does not cover Perf. Arts, Fine Arts and Phy.Ed.</p> <p>7 FDRs are required in original, in joint account, with a 5-year validity@7+5 lakhs for each programme.</p> <p>8 Issue SCN accordingly.</p>
32.	APS00375	B.Ed	Jayamukhi College of Teacher Education, Warangal, Telangana	TS	<p>1. Title is clear. Land area (3.95 ha) is adequate.</p> <p>2. LUC & EC are in order.</p> <p>3. BP is not approved by competent authority. Built-up area (3668 sq.mts.) is adequate.</p> <p>4. BCC is in order. Built-up area (3668</p>

					<p>sq.mts.) is adequate.</p> <p>5. FDRs are required in original, in joint account with a 5-year validity @7+5 lakhs per programme.</p> <p>6.1 Faculty list is required in original. Every page should be certified by the Registrar.</p> <p>6.2 Faculty list-staffing pattern is in order.</p> <p>6.3 Service Certificate of Principal is not there.</p> <p>7. They have shifted without permission. Order thereon will be passed after they remove the deficiencies.</p> <p>8. Issue SCN accordingly.</p>
33.	APSO0324	B.Ed 2 Units	Pragathi College of Education, Rangareddy, Telangana,	TS	<p>6.6 They have shifted without NCTE approval.</p> <p>6.7 They have changed the Management without NCTE approval.</p> <p>6.8 This has significance because the title to lands at the new place belongs to the new Management.</p> <p>7. The NCTE Regulations have no provision for change of management. NCTE(HQ) have advised that requests for change of Management cannot, therefore, be considered.</p> <p>3.1 Ask them to explain how they took</p>

					<p>such actions unauthorisedly. Only after this matter is settled can we consider other issues.</p> <p>3.2 If this matter is not satisfactorily settled, we may have to withdraw recognition.</p> <p>4 Issue SCN accordingly.</p>
34.	APSO1977	B.Ed 2 Units	HCMSK College of Education, Raichur, Karnataka	KA	<ol style="list-style-type: none"> 1. Title is clear. Land area is adequate. 2. LUC – not given. 3. EC- Latest EC is required. 4. BP – is not very legible. It is in photocopy. It is also not approved. Details are not given. 5. BCC – not in format. Only approved. But, built-up area details are not given. 6. FDRs are required in original, in joint account, with a 5 year validity@7+5 lakh for each programme. 7. Faculty list is not in original ; it is only a photocopy. Also not approved by the Registrar. 8. Issue SCN accordingly.
35.	APSO6075	B.Ed 2 Units	Global Women's College of Education, Gulbarga, Karnataka	K.A	<ol style="list-style-type: none"> 1. The facts, esp. in respect of title, are not at all clear. 7.1 There is reference to a Sale Deed of 1995 in favour of Haji Abdul Raheem.

					<p>7.2 There is reference to a 35- year Lease Deed dated 2011. There is no supporting document.</p> <p>7.3 There is reference to a Gift of 2500 sq.mts. to the Society by Smt. Rehana dt. 27.12.2011.</p> <p>7.4 The correct position should be clarified.</p> <p>3.1 The 'lease of 2011' is to be ignored in the absence of any document.</p> <p>3.2 The 1995 Sale Deed is also not acceptable since it is in the name of an individual.</p> <p>3.3 We have to go by the Gift Deed of 2011.</p> <p>4 But, all the information furnished, still refer to the land in the name of Haji Abdul Raheem. Why?</p> <p>5 Ask them to clarify whether they propose to shift from Haji Abdul Raheem's land to the land gifted by Smt. Rehana.</p> <p>6 We can examine other details only after they clarify.</p> <p>7 Issue Notice accordingly.</p>
--	--	--	--	--	--

36.	APSO0574	B.Ed 1 Unit	Darul Uloom Training College, Malappuram, Kerala	KL	<ol style="list-style-type: none"> 1. The position relating to title to the land is somewhat unclear. 2.1 The available information shows, the land belongs to Darul Uloom Association. 2.2 The Title certificate shows the land area as 2.31 ha. Other references give a figure of 14, 128 sq.mts. 3. It is not clear why they are(or, have to) shift at all! 4. Ask them to clarify. 5. LUC is not approved by competent authority. 6. EC- is not legible. It is not clear who has approved it. 7. BP is approved. 8. BCC is approved. 9. FDRs are required in original, in joint account, with a 5-year validity@7+5 lakhs per programme. 10. Issue SCN accordingly.
37.	APSO6223	B.Ed 1 Unit	Ruby College of Preceptors, Madurai, Tamilnadu	TN	<ol style="list-style-type: none"> 1. Title is clear. Land area is adequate. 2. LUC is in order. 3. EC is in order. 4. BP is in order. Built-up area (6145

					<p>sq.mts.) is adequate.</p> <p>5. BCC is in order. Built-up area (1592 sq.mts.) is adequate.</p> <p>6. FDRs are in order.</p> <p>7. Faculty list is duly approved by Registrar.</p> <p>7.1 Service Certificate of Principal- not given.</p> <p>7.2 One Asst. Prof.(P.A.) is required.</p> <p>8. Issue SCN accordingly.</p>
--	--	--	--	--	---