

DECISION OF 330th MEETING OF SRC-NCTE

Consideration of applications 2017-2018 and 2016-2017, VT report, SCN reply, LOI notice reply, Non Submission of reply: (Volume-1)

11	SRCAPP 2016 30164	M.Ed 1 Unit	Vasavi College of Education, Pondicherry	PO	<ol style="list-style-type: none"> 1. Their representation that they were not aware of the requirement that all documents should also be uploaded appears to be reasonable. There is no mention of this requirement in any of our communications. But, the computer programme is such that any instruction to the contrary is not accepted. 2. Refer this problem to the NCTE(HQ) and seek clarification about action to be taken.
22	SRCAPP 3597	D.El.Ed 1 Unit	SBUPF Institute of Elementary Education, Kadapa, Andhra Pradesh	AP	<ol style="list-style-type: none"> 1. The fact, that, they have liberal education courses of B.A. & B.Com was not projected earlier. 2. That was why we had to link it with the B.Ed case for getting the composite status. 3. The B.Ed case has now been rejected. But in view of the fact that they have other liberal education courses, there is no need to close the D.El.Ed case on 'stand-alone' clause. 4. The decision recorded in the 313th meeting to issue F.R. for D.El.Ed(2 units) is correct. There is no need of any change.
38	SRCAPP 2009	B.P.Ed 1 Unit	Gurukulam College of Physical Education, Kadapa, Andhra Pradesh	AP	<ol style="list-style-type: none"> 1. In spite of reminders, they have not given willingness affidavit to be governed by the 2014 Regulations . 2. According to the Supreme Court order, no institution should be allowed to function under any other earlier Regulation. 3. Reject their application 4. Close the file.
52.	SRCAPP 2016 30201	B.A.B.Ed 1 Unit B.Sc.B.E d 1 Unit	Ponkalamman College of Education, Karur, Tamilnadu	TN	<ol style="list-style-type: none"> 1. These two cases have many things in common, same location, same Sy. No.s, same type of building, the 2 units linked in a L-shaped structure, same existing courses (i.e B.Ed , 2 units), same proposed courses (i.e B.A.B.Ed 1 unit + B.Sc.B.Ed – 1 unit). 2.1 But, EC (dt 24.1.17) is differently shown. For

53.	SRCAPP 2016 30198	B.A.B.Ed 1 Unit B.Sc.B.Ed 1 Unit	Arasu College of Education for Women, Karur, Tamilnadu	TN	<p>one the no is 104 and for the other it is 105. Why should there be two different ECs for the same Sy.No.s, it is not clear.</p> <p>2.2. There is one EC covering Sy.No. 867 for which there are no documents . The relevance of this EC needs to be explained.</p> <p>3. The built-up area required in each case is 5000 sq.mtrs (2000 sq.mtrs for B.Ed 2 units + 1500 sq.mtrs for B.A.B.Ed – 1 unit + 1500 sq.mtrs for B.Sc.B.Ed – 1 unit)</p> <p>4.1 The built-up area shown to be available for Arasu College is only 2543.19 sq.mtrs which is very inadequate. They cannot make up by additional construction because the Building Plan permits only 2543.19 sq.mtrs of built-up area.</p> <p>4.2 The built-up-area shown to be available for the Ponkalamman case is 4560.21 sq. mtrs (2543.19 +2017.02 sq. mtrs). This is inadequate against the requirement of 5000 sq. mtrs . But, it is not clear wherefrom the extra 2017.02 sq. mtrs come since both the building units are shown to be of the same size and shape. In this case also, they cannot make up for the deficit through addl. construction because the Building Plan permits only 2543.19 sq. mtrs of built up area.</p> <p>5. According to NCTE(HQ), we cannot give more than 2 units of B.Ed to a TEI since that is the stipulation in the Regulations. Both these TEIs already have 2 units of B.Ed. Whether the 2 units of B.Ed in the 2 integrated courses proposed will add to the already existing 2 units or not is not clear. We may have to seek clarification form NCTE(HQ).</p> <p>6.1 All in all, these two cases are too complex. Various legal and documentary issues need to be resolved. We will have to get a composite inspection organized with a detailed list of points for verification by VT.</p> <p>6.2 Cause such a composite inspection.</p> <p>7. Since the computer programme reportedly is not amenable for issuing such guidelines to VT</p>
-----	-------------------------	---	---	----	---

					members, RD is advised to write separate letter to the VT members giving guidelines strictly according to the minute of the SRC.
58	APSO 3122	D.Ed	Al-Ameen Urdu Training Institute, Belgaum, Karnataka	KA	Noted
59	SRCAPP 673	D.El.Ed 1 Unit	Guru Sai Diploma Elementary Education, Prakasam, Andhra Pradesh	AP	1. We are all busy with disposal of cases w.r.t the 03.03.2017 dateline. 2. Put up in April 17
60	SRCAPP 1883	B.Ed 2 Units	Kumaran College of Education, Vellore, Tamilnadu	TN	1. We are all busy with disposal of cases w.r.t the 03.03.2017 dateline. 2. Put up in April 17
61	SRCAPP 624	B.Ed	Dhanalakshmi College of Education, Guntur, Andhra Pradesh	AP	1. The faculty list is in order. 2. Issue fresh FR, under the 2014 Regulations, for B.Ed (2 units) w.e.f 2016-17.
62	APSO 2441	B.Ed	Al- Mahmood B.Ed College, Shimoga, Karnataka	KA	1. The order for reduction from 2 units to 1 unit has been issued. Therefore, there is no urgency. 2. Several documents are missing obtain them all and put up together in April, 17 along with other RPRO cases.
63	APSO 1928	B.Ed	JSS Institute of Education, Bellary, Karnataka	KA	1. All documents are in order. 2. Reduction from 2 units to one unit has already been approved on 16.12.16. Issue the approval if not already done. 3. The area of multipurpose hall is less. Ask them to increase and report.

64	APS0 2283	B.Ed	JSS Institute of Education, Chamarajanagar , Karnataka	KA	<ol style="list-style-type: none"> 1. There are many gaps in the documents given. 2. 1 Issue SCN as per the deficiencies cited in the agenda note. 2.2 The Sy.Nos. shown in EC do not feature in the land document.
65	APS0 1657	B.Ed 1 Unit	Sri Manjari Hanumanthappa College of Education, Davangere, Karnataka	KA	<ol style="list-style-type: none"> 1. There are many gaps in the documents given. 2. Land area is shown to be only 6000 sq.ft. This is far less than what is prescribed. 3. Issue SCN citing all the deficiencies identified.
66	APS033 93	B.Ed	Jagadguru Panchacharya College of Education, Gadag, Karnataka	KA	<ol style="list-style-type: none"> 1. There are many gaps in the documents given. 2. Issue SCN citing all the deficiencies identified
67	APS0 8947	B.Ed 2 Units	Sri Venkateswara College of Education, Prakasam, Andhra Pradesh	AP	<ol style="list-style-type: none"> 1. Total built-up area available is 4045 sq.mtrs. 2. They say they have given 1985 sq.mtrs for B.Ed and 1980 sq.mtrs for D.El.Ed. This is not adequate. They should give 2000 sq.mtrs to each. 3. According to their reply D.El.Ed and D.El.Ed-A.I have shifted to the new site. 4. After obtaining confirmation about built-up-area allocation, issue fresh FR, under 2014 Regulations, for B.Ed (2 units) at the new address.
68	APS0 0233	B.Ed	Sri Radha Krishna College of Education, Srikakulam, Andhra Pradesh	AP	<ol style="list-style-type: none"> 1. They want to reduce from 2 units to 1 unit. Built up area is bound to be adequate. 2. There is , therefore, no need of inspection. 3. Permit reduction from 2 units to 1 unit. 4. Obtain for verification , LUC, BCC, FDRs and latest Faculty List.
69	APS0 0325	B.Ed	Ganapathy College of Teacher Education, Warangal, Telangana	TS	<ol style="list-style-type: none"> 1. Their request for reduction from 2 units to 1 unit was accepted w.e.f 2017-18. The request is to change it to be w.e.f 2016-17. Issue accordingly. 2. Collect all documents as required for verification. 3. Only thereafter can we consider issue of fresh FR under 2014 Regulations.

71	APSO 7567	B.Ed 2 Units	Tagore College of Education, Mahabubnagar, Telangana	TS	The reduction from 2 units to 1 unit approved on 31.1.17 will be w.e.f 2016-17.
72.	SRCAPP 2016 30086	B.Ed-AI	J.N.N Teacher Training College, Thiruvallur, Tamilnadu	TN	<ol style="list-style-type: none"> 1. They have repeated the request for change of course. 2. We have to repeat the legal position that SRC does not have the authority to approve such a change of course. 3. Reject the application. 4. Close the file.
73	SRCAPP 14749	D.El.Ed- AI 1 Unit	Holy Faith College of Diploma in Education, Visakhapatnam , Andhra Pradesh	AP	<ol style="list-style-type: none"> 1. Reject the application, as already decided, in the case of the Holy Faith College. 2. The decision to cancel LOI in the case of GL College of Education was not correct. It was subsequently changed to issue of SCN. SCN was issued on 01.02.2017 giving 21 days time. Put up on 22.02.2017. 3. In the case of Sadulla College, as per decision in the 328th meeting, FR for B.Ed w.e.f 2017-18 has already been issued. It has to be clarified that the general decision taken in the 327th meeting to “cancel LOIs and reject the application” will not apply to this case.
74.	SRCAPP 2261	B.Ed.M. Ed 1 Unit	Department of Education, Visakhapatnam Andhra Pradesh	AP	<ol style="list-style-type: none"> 1. No rely has still been received from the applicant to our LOI. 2. Cancel the LOI. 3. Reject the application. 4. Close the file.
75.	SRCAPP 3567	D.El.Ed- AI 1 Unit	K.Seshachala College of Education, Chittoor District- 517583, Andhra Pradesh	AP	<ol style="list-style-type: none"> 1. The D.El.Ed-A.I(1 unit) case has not yet been inspected. 2. A composite inspection was ordered and conducted on 07.03.2016. But, the V.T. submitted a report only for M.Ed. There was nothing about D.El.Ed. 3. The decision to order a fresh VT inspection was, therefore, correct. There is no duplication. Clarify to them. Express regret for the confusion caused by the previous VT. Ask them to cooperate with the V.T. 4. In the last VT Inspection, the College gave all information about a wrong society . Ask them to be careful this time to supply correct information. 5. Ask the VT to proceed with the inspection.

76.	SRCAPP 14726	B.P.Ed- 1 Unit	Chenna Keshava College of Physical Education, Rangareddy, Telangana	TS	<ol style="list-style-type: none"> 1. The applicant has expressed inability to run the B.Ed and B.P.Ed courses because of the State Govt.'s Policy that does not suit their convenience. 2. FR for B.Ed(1unit) has already been issued. They have requested for withdrawal of this recognition. Their request is accepted. Withdraw recognition for the B.Ed (1 unit) course (SRCAPP14683) w.e.f 2016-17 after completion of all formalities.
77.	SRCAPP 14683	B.Ed 1 Unit	Chenna Keshava College of Education, Rangareddy, Telangana	TS	<ol style="list-style-type: none"> 3. In the B.P.Ed(1 unit) case (SRCAPP14726) we had ordered VT Inspection. In view of their request, the VT inspection is cancelled. The request for withdrawal of application is accepted. The application is rejected as withdrawn 4. Return the FDRs. 5. Close the 2 files.
78.	SRCAPP 376	D.El.Ed	CMR Institute of Elementary Teacher Education, Rangareddy, Andhra Pradesh	AP	<ol style="list-style-type: none"> 1. Their reply to our SCN covers all points except the FDR. They have to give FDRs for Rs. 7 lakhs and 5 lakhs . 2. Cause inspection. 3. Ask VT to collect the FDRs
79.	SRCAPP 14786	M.Ed- 1 Unit	Little Rose College of Education, East Godavari, Andhra Pradesh	AP	<ol style="list-style-type: none"> 1. It is not clear whether the VT Inspection took place or not. Find out correct position from the VT Members and report in the next meeting on 22.02.17.
80.	APSO 0227	B.Ed- 2 Units	Little Rose College of Education, East Godavari, Andhra Pradesh	AP	<ol style="list-style-type: none"> 1. All formalities have been satisfactorily completed in this RPRO case. 2. FR, afresh under the 2014 Regulations, for B.Ed(2 units) has also been issued. 3. Permit shifting. 4. Amend the FR to indicate the new address.

81.	APSO 4730	D.Ed	Little Rose College of Elementary Education, East Godavari, Andhra Pradesh	AP	<ol style="list-style-type: none"> 1. This is a request from the A.P.Govt. for increasing the basic unit size from 50 to 51 in the D.El.Ed course for the 2014-16 batch as a special case. 2. The request is compassionate as it is for the benefit of a cancer patient. 3. Unfortunately, the SRC does not have the Legal authority to alter the basic unit size. 4. Advise them to approach the NCTE(HQ) as only the Council can relax the regulations.
82.	APSO 7418	B.Ed- 1 Unit	Kavitha Memorial College of Education, Nalgonda, Telangana	TS	<ol style="list-style-type: none"> 1. Change of management has already been approved on 19.10.2016. 2. All formalities for shifting have been completed satisfactorily. Only the Faculty List remains to be rectified. 3. Issue permission for shifting. 4. In the faculty list, there are 2 infirmities <ol style="list-style-type: none"> (i) The Principal is over aged and should be changed. (ii) One Asst. Prof. (MPA) is required 5. Issue SCN accordingly. 6. Issue the revised FR only after the Faculty List is rectified.
83.	AOSO 0425	B.Ed	Sri CRR College of Education, West Godavari, Andhra Pradesh	AP	<ol style="list-style-type: none"> 1. The request for reduction from 3 units to 2 units of B.Ed is accepted. 2. Issue withdrawal of recognition to the 3rd unit w.e.f 2016-17. 3. Issue revised FR accordingly. Other conditions remain the same.
84.	SRCAPP 14090 SRCAPP 14091	B.Ed D.El.Ed	Universal College of Education, Prakasam, Andhra Pradesh	AP	<ol style="list-style-type: none"> 1. They have been very recalcitrant in consistently blocking VT Inspections. Even in the latest case, as reported by the VT Member, the cases had to be altered again and again. And, now, they have gone incommunicado. 2. We cannot go on putting up with such prevarication. 3. Issue SCN for rejection.