

**Decisions of 335<sup>th</sup> Meeting of SRC-NCTE**

**Consideration of 2017-2018 & 2016-17 applications VT report, SCN reply and Non Submission reply : (Volume-1)**

1.	SRCAPP2016 30006  APS08247	M.Ed 1 Unit  B.Ed 2 Units	Menakshi Ramasamy College of Education, Perambalur, Tamilnadu	TN	1. VT Inspection report seen.  2. The CD shows two different buildings. Which one is for which course is not clear. They should explain.  3. The built-up area available is 3773 sq.mts. The area required, according to the Regulation-Appendix-4 relating to Norms and Standards of B.Ed.-Entry 6.1., is 4000 sq.mts. (B.Ed.+D.El.Ed. Combo-3000 sq.mts.+500 for 2 <sup>nd</sup> unit of B.Ed.+500 sq.mts. for 1 unit of M.Ed.). The built up area available is, therefore inadequate.  4. It is strange that neither the Management nor the Visiting Team have referred to one unit of D.El.Ed.  5. Issue Show Cause Notice accordingly.
2.	SRCAPP2016 30053	D.P.SE 1 Unit	District Institute of Education and Training, Medak, Telangana	TS	1. Their reply to the SCN is not satisfactory. 2.1 Built-up area is short by 1200 sq.mts. They have stated that accommodation available in the hostel will be used for the DPSE course. But, BP & BCC of hostel

1

Members: Prof. M.S. Lalithamma, Shri. Krishna Mohan Rao, Dr. J.D. Singh, Smt. Jalajakshi

(S. Sathyam)  
Chairman

					building are not given. 2.2 It will not be possible for SRC to recognize such temporary adjustments particularly in the absence of BP and BCC. 3. Ask them to submit BP & BCC of the Hostel building to check details of the accommodation available.
3.	SRCAPP2016 30064	M.Ed & BA.B.Ed BSc.B.Ed 2 Units	Azim Premji University, Bangalore, Karnataka	KA	1. There are too many deficiencies in this case. 2. They have not cared to address any one of them substantively. 3. Reject the application. 4. Return FDRs, if any. 5. Close the file.
4.	SRCAPP2016 30070	M.Ed 1 Unit	Sree Krishna College of Education, Nagapattinam, Tamilnadu	TN	1. Earlier when NAAC certificate was required for B.Ed. also, some relaxation of standards was given (eg. IEQA being sufficient in place of NAAC certificate). 2. This is a case of M.Ed. We must stick to the standards prescribed. They must be required to produce a regular NAAC certificate. 3. Reject the application. 4. Return FDRs, if any. 5. Close the file.

5.	SRCAPP2016 30047	M.P.Ed 1 Unit	Annamalai University, Cuddalore, Tamilnadu	TN	<ol style="list-style-type: none"> <li>1. Land area is adequate for both B.P.Ed. &amp; M.P.Ed.</li> <li>2. Built-up area required is (2700+500) 3200 sq.mts. whereas they have 5881 sq.mts.</li> <li>3. Issue LOI for M.P.Ed.(1 unit) also.</li> </ol>
6.	SRCAPP2016 30039	M.Ed 1 Unit	University of Hyderabad, Rangareddy, Telangana	TS	<ol style="list-style-type: none"> <li>1. We cannot give any conditional FR.</li> <li>2. We cannot accept recruitment of adjunct faculty.</li> <li>3. We cannot also indefinitely wait for submission of LOI reply.</li> <li>4. The Supreme Court has extended the time limit for sanction of FR for 2017-18 to 2.5.17.</li> <li>5. Give them time till 30.4.17. Put up on 1.5.17.</li> </ol>
7.	SRCAPP2645  SRCAPP2648	D.El.Ed- AI 1 Unit  B.Ed 2 Units	Chegireddy Lingareddy Institute of Elementary Education, Prakasam, Andhra Pradesh	AP	<ol style="list-style-type: none"> <li>1. The institute has requested for withdrawal of both the applications.</li> <li>2. The original applications were from the Society. But, the Withdrawal letter is from the Principal of the institute.</li> <li>3. We cannot act on such an application.</li> </ol>

					4. Ask them for concurrence of the Society.
8.	SRCAPP3166	B.Ed	SRM B.Ed College, Prakasam, Andhra Pradesh	AP	1. The VT has reported that the institution is not interested in pursuing the application;and, therefore, they do not want the inspection.  2. Ask the applicant to confirm that they are not interested in the course and that they want to withdraw the application.
9.	SRCAPP20163 0060	D.El.Ed 2 Units	Royal College of Education, Ranga Reddy, Telangana	TS	1. No reply to our SCN has been received even now.  2. Let us wait till 24.4.17.  3. Put up on 25.4.17.
10.	SRCAPP14479	B.Ed	Bharathiar University, Coimbatore, Tamilnadu	TN	1. No reply to our SCN has been received even now.  2. Let us wait till 24.4.17.  3. Put up on 25.4.17.
11.	SRCAPP14876  SRCAPP14791	D.El.Ed 2 Units  B.Ed 2 Units	Lakshmi Ranaga Sai College of Education , Prakasam, Andhra Pradesh	AP	1. No reply to LOI has been received.  2. Let us wait till 24.4.17.  3. Put up on 25.4.17.

12.	SRCAPP2413	B.Ed 1 Unit	Sri Venkateswara College of Education, Guntur, Andhra Pradesh	AP	<ol style="list-style-type: none"> <li>1. No reply to LOI has been received.</li> <li>2. Give time till 24.4.17.</li> <li>3. Put up on 26.4.17.</li> </ol>
13.	SRCAPP2016 30100	M.Ed 1 Unit	Central University of Tamilnadu. Thiruvarur, Tamilnadu	TN	<ol style="list-style-type: none"> <li>1. We cannot take such major decisions based on a letter from the Dean.</li> <li>2. The authorized person on behalf of the University is always the Registrar for such correspondence.</li> <li>3. Check with the Registrar whether they wish to withdraw the application.</li> </ol>
14.	SRCAPP2016 30054	D.El.Ed 2 Units	Aizza College of Education, Adilabad, Telangana	TS	Put up tomorrow.
15.	SRCAPP2016 30043	BA.B.Ed BSc.B.Ed 1 Unit	Amrita Vishwa Vidyapeetham, Coimbatore, Tamilnadu	TN	<ol style="list-style-type: none"> <li>1. Title is clear.</li> <li>2. UGC has clarified that Deemed Universities can have off-campus centres.</li> <li>3. LUC is not given. But, Karnataka Govt. order is given.</li> <li>4. EC is in order.</li> <li>5. Blue-print of BP is not given. Built-up area</li> </ol>

					<p>details are not there.</p> <ol style="list-style-type: none"><li>6. BCC is not approved by competent authority.</li><li>7. FDRs have been given only for one course (1 unit). It is also not in joint account.</li><li>8. Issue Show Cause Notice accordingly.</li></ol>
16.	SRCAPP2016 30137  APS02739	D.P.SE 2 Units  D.El.Ed- 50	Oasis Diploma in Pre School Education, Warangal, Telangana	TS	<ol style="list-style-type: none"><li>1. Title is clear. Land area is adequate.</li><li>2. Affidavit not given.</li><li>3. LUC/EC are in order.</li><li>4. BP is given. Built-up area shown is 4043.73 sq.mts.</li><li>5.1 BCC is given. Built-up area is same as in BP.</li><li>5.2 Built-up area required is 3000 [DPSE(1 unit)+D.El.Ed.(1Unit)2500]+[DPSE(1 unit)500]</li><li>6. Built-up area is adequate.</li><li>7. FDRs are required, in originals in joint account, @7+5 lakhs for each unit of each course.</li></ol>

					8. Issue LOI for DPSE(2 units).
17.	SRCAPP2016 30067	BA.B.Ed BSc.B.Ed 1 Unit	Usha Latchumanan College of Education, Pondicherry	PO	Put up tomorrow
18.	SRCAPP2016 30157	M.P.Ed 1 Unit	Mother Teresa College of Physical Education, Pudukottai, Tamilnadu	TN	<ol style="list-style-type: none"><li>1. The NOC is from the State Govt. and not from the affiliating body.</li><li>2. Reject the application.</li><li>3. Return FDRs, if any.</li><li>4. Close the file.</li></ol>
19.	SRCAPP2016 30149	BA.B.Ed BSc.B.Ed 1 Unit	Samatha Degree College, Mahbubnagar, Telangana	TS	<ol style="list-style-type: none"><li>1. The VT has reported that the Management has not co-operated with the inspection. In spite of making several phone-calls, they did not agree to submit for the inspection.</li><li>2. This conduct of the Management is not acceptable at all.</li><li>3. Issue Show Cause Notice for rejection.</li></ol>

20.	SRCAPP3266  SRCAPP3263	B.P.Ed 1 Unit  D.El.Ed 1 Unit	M.J.Samuel College of Physical Education, West Godavari, Andhra Pradesh	AP	<ol style="list-style-type: none"> <li>1. No progress in the matter. Try again.</li> <li>2. Try to contact VT members by phone or e-mail.</li> <li>3. Try to contact the Management also.</li> <li>4. Put up on 19.4.17.</li> </ol>
21.	SRCAPP2231	B.Ed 2 Units	Jnanabharathi College of Education, Chitradurga, Karnataka	KA	<ol style="list-style-type: none"> <li>1. They have sought more time to give LOI reply because the University(that is to approve the Faculty list) is busy with examination work.</li> <li>2. Give time till 29.4.17.</li> <li>3. Put up on 1.5.17.</li> </ol>
22.	SRCAPP2947	B.Ed 2 Units	Bhagiratha College of Education, Chitradurga, Karnataka	KA	<ol style="list-style-type: none"> <li>1. LOI reply not yet received.</li> <li>2. Give further time till 24.4.17.</li> <li>3. Put up on 25.4.17.</li> </ol>
23.	SRCAPP2016 30111	BA.B.Ed BSc.B.Ed 2 Units	Alwardas Institute of Education, Visakhapatnam Andhra Pradesh	AP	<ol style="list-style-type: none"> <li>1. No reply to SCN has at all been received.</li> <li>2. In this case, the processes cannot be completed before 2.5.17. In other words, they can be given more time for reply and for VT inspection, thereafter, if possible.</li> <li>3. Give time till 31.5.17.</li> </ol>
24.	SRCAPP2016 30210	D.P.SE- AI 1 Unit	Govt. DIET, Mahabubnagar,	TS	<ol style="list-style-type: none"> <li>1. No doubt the DIET has taken up the matter with the Commissioner of School</li> </ol>



			Telangana		<p>education for removal of the asbestos sheets; but, actual removal has not occurred. We cannot give conditional orders.</p> <p>2. They also do not have adequate built-up area since they already have TTC(i.e., D.El.Ed.) courses with a total intake of 352 (120+120+112) which in terms of the 2014 Regulations will come to 7 units.</p> <p>3. They have also not given the Affidavit to come under the 2014 Regulations.</p> <p>4. Issue SCN accordingly.</p>
25.	SRCAPP2016 30055	D.El.Ed 2 Units	Nawab Shah Alam Khan College of Education, Rangareddy, Telangana	TS	<p>1. The Lawyer's reply is seen. It is not correct for him to say that there is no need to file an appeal.</p> <p>1.2 He has not fully grasped the order of the Court. The Court has asked us not to insist on an NOC. This order is not acceptable. Its acceptance will create lots of complications not only for SRC but for all RCs and even for NCTE(HQ).</p> <p>1.3 It is significant that the NCTE(HQ) itself has also approached the Supreme Court.</p> <p>2. In the result, and for the reasons given above, ask the Lawyer to file an appeal. If</p>

					he has conscientious objections, let him give it to some other panel-Lawyer.
26.	APS02330	B.Ed	Sri Parshwanath College of Education for Women, Davangere, Karanataka	KA	<ol style="list-style-type: none"><li>1. The Court has dismissed the writ petition without any further directions.</li><li>2. Earlier, the Appellate authority had dismissed the appeal.</li><li>3. Now, there is nothing further for us to do.</li><li>4. Our order for withdrawal of recognition stands revived.</li><li>5. Enter in the Register accordingly.</li><li>6. Inform the affiliating university.</li><li>7. Close the file.</li></ol>
27.	APS09425	D.El.Ed 1 Unit	Gandhian College of Elementary Education, Rangareddy, Telangana	TS	<ol style="list-style-type: none"><li>1. This case is at a very preliminary stage of notice before admission.</li><li>2. Send the relevant details to the Lawyer to oppose admission when the case is called again.</li></ol>

28.	APS06049	B.Ed 2 Units	St. Aloysius Institute of Education, Mangalore, Karnataka	KA	<ol style="list-style-type: none"><li>1. Title is clear.</li><li>2. Land area in title deed is adequate. But, only 0.53 acres of that is covered by the LUC Sy.No.213-2-P2 measuring 0.13 acre is not covered. They need at least 0.60 acre. They have only 0.53 acre. They should explain.</li><li>3. EC is clear.</li><li>4.1 BP- original Blue print is not given.</li><li>4.2 BP does not show M.P. Hall.</li><li>5.1 BCC is not approved by competent authority.</li><li>5.2 Built-up area of 2787 sq.mts. is adequate.</li><li>6.1 FDRs should be given, in original, in joint account, @7+5 lakhs for each unit of each course.</li><li>6.2 FDRs given were valid only for 1 year. They expired long ago; not revalidated.</li><li>7. Faculty list is not in the prescribed form and not approved by competent authority. Latest approved Faculty list is required.</li><li>8. They have had more than 9 years to improve the norms and standards. They have done nothing.</li><li>9.1 We had conducted the VT inspection in compliance of the Court order.</li></ol>
-----	----------	-----------------	---	----	--

					9.2 Since the case is still under appeal, the VT Report along with our observations thereon should be sent to the Appellate authority.
29.	APS02383	B.Ed 2 Units	Sunitha Mahila Mandali's Gurukul College of Education, Mysore, Karnataka	KA	<ol style="list-style-type: none"> <li>1. All requirements have been met.</li> <li>2. The case is ready for restoration of recognition subject to verification of the Faculty list.</li> <li>3. Request the University to approve the Faculty list without insisting on LOI or a recognition order.</li> <li>4. Ask the college to submit the latest approved Faculty list without further delay.</li> <li>5. Put up on 26.4.17.</li> </ol>
30.	APS00272  APS02905	B.Ed 2Units  D.El.Ed 1 Unit	Crescent College of Education, Karimnagar, Telangana	TS	<ol style="list-style-type: none"> <li>1. Title is clear. Land area is adequate.</li> <li>2. LUC/EC are in order.</li> <li>3. BP is in order. Built-up area shown (3602 sq.mts.) is adequate.</li> <li>4.1 BCC is given. Not approved by Govt. Engineer. Built-up area of Ground Floor(1801 sq.mts) + First Floor(1801</li> </ol>

					<p>sq.mts.) is adequate.</p> <p>4.2 VT has reported second floor is under construction. This is not clear. Ask the College to explain the correct factual position.</p> <p>5. VT has reported that the D.El.Ed. course is not running for want of enrolment. Ask the College to explain why the recognition should not be withdrawn.</p> <p>6. Latest approved Faculty list is required.</p> <p>7. FDRs are required in original in joint account, on a 5 year validity@ 7+5 lakhs for each unit of each course.</p> <p>8. Issue SCN accordingly for shifting permission.</p>
31.	APS05561	B.Ed 2 Units	Rajeev Memorial College of Teacher Education, Kannur, Kerala	KL	<p>1. We had withdrawn recognition. It was revived by the Court order. But, that was only for one year i.e., 2014-15. They have continued that facility irregularly without obtaining any extension from the Court.</p> <p>2. They have not cared to comply with our order for submission of the approved faculty list. Delay in this will only give</p>

					them undue benefit.  3. Give them an ultimatum to submit the latest approved Faculty list by 26.4.2017.  4. Put up on 1.5.17.  5. Issue SCN accordingly.
32.	APS04281	B.Ed 2 Units	Karunya University, Coimbatore, Tamilnadu	TN	1. According to the Supreme Court order, no institution can run after November 2014 under any other Regulation.  2. That being so, there is no question of their restoring the course and then giving the affidavit.  3. The Affidavit shall be given at once. Immediately thereafter, they must ensure adherence to the norms/standards under the 2014 Regulations.  4. There is no provision for keeping any course 'in abeyance'. They must either run or be wound up.  5. Issue SCN accordingly.
33.	SRCAPP1883	B.Ed 2 Units	Kumaran College of Education, Vellore,	TN	Put up tomorrow

			Tamilnadu		
34.	APS01294	M.P.Ed 1 Unit	Bharathiar University, Coimbatore, Tamilnadu	TN	Put up tomorrow
35.	AOS00435	B.Ed 3 Units	St. Mary's College of Education, East Godavari, Andhra Pradesh	AP	<ol style="list-style-type: none"><li>1. This is a RPRO case.</li><li>2. They have B.Ed. with an intake capacity of 3 basic units. Now, they want to reduce from 3 units to 1 unit.</li><li>3. Their request is accepted.</li><li>4. Withdraw recognition for B.Ed.(2 units) w.e.f. 2016-17.</li><li>5. We have to ensure that the B.Ed.(1 unit) will be fully in accordance with 2014 Regulations.</li><li>6. Obtain all relevant documents and process for issuing a fresh FR under the 2014 Regulation. This will include the latest approved Faculty list.</li></ol>
36.	APS08756	B.Ed 2 Units	Hindu College of Education, Guntur, Andhra Pradesh	AP	<ol style="list-style-type: none"><li>1. This is a RPRO case.</li><li>2. They had 2 units under the 2014 Regulations. We had, therefore, ordered VT inspection to check adequacy of built-up area.</li><li>3. Now they want reduction from 2 units to 1</li></ol>

					<p>unit.</p> <ol style="list-style-type: none"><li>4. Their request is accepted. The intake capacity of B.Ed. is reduced from 2 units to 1 unit.</li><li>5. Withdraw recognition for B.Ed. 2<sup>nd</sup> unit w.e.f. 2016-17.</li><li>6. We have to ensure that the B.Ed.(1 unit) will be fully in accordance with 2014 Regulations.</li><li>7. Obtain all relevant documents and process for issuing a fresh FR under the 2014 Regulation. This will include the latest approved Faculty list.</li></ol>
--	--	--	--	--	--