

Decisions of 335th Meeting of SRC-NCTE

Consideration of 2017-2018 & 2016-17 applications VT report, SCN reply and Non Submission reply : (Volume-1)

37.	SRCAPP14099	B.Ed 2 Units	Amaravathi College of Education, Guntur, Andhra Pradesh	AP	<ol style="list-style-type: none">1. Latest EC is given. Only photocopy. Obtain the original for our record.2. BCC-Photocopy of the same BCC has been given with only the Sy.No. corrected. A duly corrected and duly approved BCC is required.3. Faculty list is in order.4. Website address to be given.5. Issue a Notice accordingly.6. Put up on 20.4.17.
38.	SRCAPP14215	BA.B.Ed 2 Units	Jenney's College of Education, Tiruchirapalli, Tamilnadu	TN	<ol style="list-style-type: none">1. The compliance reply is satisfactory.2. Issue FR for B.A.B.Ed.(2 units) w.e.f. 2017-18.
39.	SRCAPP3011	B.Ed – DE 500	Institute of distance Education, University of Madras, Chennai, Tamilnadu	TN	<ol style="list-style-type: none">1. BP is not approved by competent authority.2. BCC is approved. But, every page should be signed. Also, it should indicate the date of approval/issue. The title shows it to be a building for Diploma in

					<p>Elementary Education. This should be corrected.</p> <p>3. Study material are still not ready. Whether approval of UGC is required is not clear.</p> <p>4. Issue SCN accordingly.</p>
40.	SRCAPP2016 30123	M.P.Ed 2 Units	SPM'S College of Physical Education, Belgaum, Karnataka	KA	<p>1. Title is clear. Govt. allotted land. Land area (31.11 acres) adequate.</p> <p>2. EC not required.</p> <p>3. BP is approved. Built-up area shown is 2936 sq.mts.</p> <p>4. BCC is approved. Built-up area is 3064 (i.e., slightly in excess of the area approved in BP).</p> <p>5. Built-up area required for B.P.Ed.(1 unit) & M.P.Ed.(1 unit) is 2700 sq.mts.</p> <p>6. FDRs are given.</p> <p>7. Issue LOI for M.P.Ed.(1 unit).</p>
41.	SRCAPP15106	BA.BEd 2 Units	Siddartha College of Integrated Degree College, Nalgonda, Telangana	TS	<p>1. LOI reply has not yet been received.</p> <p>2. The delay is caused by the affiliating University. The applicant, in this case may come to be penalized for that. This will be unfair because they had obtained</p>

					NOC from the University. 3. Give them time till 30.4.17. 4. Put up on 1.5.17.
42.	SRCAPP376	D.El.Ed 1 Unit	CMR Institute of Elementary Teacher Education, Rangareddy, Telangana	TS	1. Title is clear. Land area is adequate. 2. LUC is in order. 3. EC is in order. 4.1 BP is in order. Built-up area shown is 3500 sq.mts. 4.2 BP, however, is in photocopy form. Original is required. 5.1 BCC is not approved by competent authority. 5.2 Type of roofing is not indicated. 5.3 Built-up area shown is 3500 sq.mts. This is adequate for B.Ed.(2) & D.El.Ed.(1) 6. FDRs are required in original, in joint account, with 5 year validity @ 7+5 lakhs for each unit in each course. 7.1 Latest approved Faculty lists for both

					<p>B.Ed. & D.El.Ed. are required.</p> <p>7.2 B.Ed. Faculty list should be approved by the University and not by SCERT.</p> <p>7.3 Both lists should have photographs and should be submitted in original.</p> <p>8. Issue SCN accordingly.</p>
43.	APS02970	B.Ed 2 Units	Senthil College of Education, Pondicherry	PO	<p>1. The Court order is noted.</p> <p>2. It may not be possible for us to implement it as we will, in the process, violate the Supreme Court order that, after notification of the 2014 Regulations., no case shall be processed under any other Regulations.</p> <p>3. We must ask our Lawyer to urgently apprise the Hon'ble High Court of this position and request for a review of their order in reference.</p>
44.	SRCAPP2016 30051	M.Ed-AI 1 Unit	School of Pedagogical Sciences, Kannur, Kerala	KL	<p>1. This is an application for M.Ed.-A.I.(1 unit).</p> <p>2. In the 2014 Regulations, point 4.1 under norms and standards for M.Ed., it is clearly stated that additional unit can be permitted, subject to other quality considerations, only after the institution has offered the programme for 3 years</p>

					<p>and has been awarded minimum B+ grade by NAAC or any other accrediting agency approved by NCTE.</p> <ol style="list-style-type: none"> 3. Since the new M.Ed. courses started only in 2015-16, they have not completed the 3 academic sessions required; and, obtained the NAAC certification thereafter. 4. Reject the application. 5. Return FDRs, if any. 6. Close the file.
45.	SRCAPP14641	D.El.Ed-AI	Shree Kamireddy Sivaramireddy College of Elementary Education, Vishakapatnam, Andhra Pradesh	AP	<ol style="list-style-type: none"> 1. The Appellate authority directed us to process this case. Accordingly, we proceeded with action and ordered V.T. inspection. 2. One Vt member has now reported that the college Principal telephonically had stopped the inspection. 3. Contact the college to find out the correct position.
46.	SRCAPP2016 30050	D.El.Ed. (1 unit)	Block Institute of Teacher Education, Nilgiris, Tamilnadu	TN	<ol style="list-style-type: none"> 1. Title is there. Govt. land. Land area is adequate. 2. LUC/EC not required. 3. BP is approved by PWD Engineer and not the local body concerned. But, State Govt.

					<p>has given the required permission.</p> <p>4. BCC is not given.</p> <p>5. Issue LOI for D.El.Ed.(1 unit). Ask them to submit BCC along with the LOI reply.</p>
47.	<p>SRCAPP2016 30080</p> <p>B.Ed- 2 Units</p> <p>D.Ed- 1 Unit</p>	<p>D.P.SE 2 Units</p>	<p>St. Peters Educational Association, Warangal, Telangana</p>	<p>TS</p>	<p>1. They have D.El.Ed.(1 unit) & B.Ed.(2 units). They want DPSE(2 units).</p> <p>2.1 The land area required is (3000 sq.mts. for D.El.Ed. + B.Ed.; 2500 sq.mts. for DPSE) 5500 sq.mts.</p> <p>2.2 Built-up area required is (3000 for D.El.Ed./B.Ed. combo+500 for B.Ed.2nd unit + 2000 for DPSE 2 units) 5500 sq.mts.</p> <p>3. Title is clear. Land area is not clear. The Sale deeds show it as 0.10 guntas or 0.10 hectares. These units of land area are vastly different. They must explain.</p> <p>4. LUC is in order.</p> <p>5. EC is in order.</p> <p>6.1 BP is only a photocopy. Approved. Original required. Built-up area shown is 4783.79 sq.mts. There is a mention of proposed area of 569.29 sq.mts. The BP entries are not at all clear. They must explain.</p>

					<p>6.2 Covers Sy.No. 324 which is not in title deed.</p> <p>7.1 BCC covers 280,281,282 and 283. Sy.No.283 is not covered by Sale Deed.</p> <p>7.2 BCC-1 shows built-up area of 3525 sq.mts. BCC-2 shows built-up area of 1836 sq.mts. Area covered by Sy.No.283 has to be deducted.</p> <p>7.3 They must explain the correct position.</p> <p>8.1 Course wise earmarking of area is not indicated.</p> <p>8.2 Additional construction for school extension, Pharmacy building and Residential block is shown.</p> <p>8.3 They must explain how much of area is available for DPSE, D.El.Ed. and B.Ed.</p> <p>9. FDRs are required in original, in Joint account, valid for 5 years @ 7+5 lakhs for each unit of each course.</p> <p>10. Issue SCN accordingly.</p>
48.	SRCAPP1883	B.Ed 2 Units	Kumaran College Education, Vellore, Tamilnadu	of TN	<p>1. Title is clear. Land area available 2521.44 sq.mts.</p> <p>2. LUC/EC.... are in order.</p> <p>3. BP is approved. Built-up area shown is 3951.99 sq.mts.</p> <p>4.1 BCC is not approved by competent authority. Built-up area shown is 3932.09</p>

					<p>sq.mts.</p> <p>4.2 Built-up area required for B.Ed.(2 units) is 2000 sq.mts.</p> <p>4.3 In other words, there is a surplus area of 1932 sq.mts.</p> <p>5.1 It is not possible to run 2 other colleges in 1932 sq.mts.</p> <p>5.2 In any case, there is no coursewise earmarking of built-up area. Any overlapping arrangement introduced without approval cannot be recognized by us.</p> <p>5.3 The BP and BCC both show the entire built-up area to be utilized for B.Ed.</p> <p>6.1 The Sale Deed is dated 13.12.2012. The Sale Deeds clearly refer to the lands as vacant lands with no construction thereon.</p> <p>6.2 But the B.P. is dated 2006 i.e., 6 years prior to the registration of the Sale Deeds.</p> <p>7. Date of inspection for BCC is 21.12.12. The inspection report shows date of completion of construction as 1.12.07 i.e., 5 years prior to registration of Sale Deed. This contradicts the statements in the Sale Deed that the land was vacant(with no construction thereon) at the time of</p>
--	--	--	--	--	--

					<p>registration.</p> <p>8.1 Two inspection teams of TNTEU have confirmed that two other educational institutions are running at the same premises.</p> <p>8.2 The BP/BCC details described above show that it is not practicable to run 2 other colleges at the same premises with only 1932 sq.mts. built-up area available.</p> <p>8.3 The applicant has not denied that they are running 2 other colleges at the same premises. Cleverly, they have stated that the Regulations do not prohibit other colleges running at the same premises.</p> <p>9. The position emerging from these enquiries clearly suggest that facts have been manipulated.</p> <p>10.1 Issue Show Cause Notice accordingly and ask them to explain the position with greater clarify.</p> <p>10.2 Put in May 17 after 3.5.17.</p>
49.	--	--	The direction given by SRC in respect of enclosed 23 cases could not be implemented through online due to technical	GN	Ratified

			<p>problem in the online dash board. However to avoid delay the decisions were implemented through email/courier/s peed post/ other conventional modes of communication.</p> <p>SRC is requested to ratify the action taken in the above matter</p>		
50.	SRCAPP2016 300004	M.P.Ed. 1 unit	Bharathidasan University, Tiruchirapalli, Tamilnadu.	TN	<ol style="list-style-type: none">1. The reply given satisfactorily meets the arithmetic of area requirements. But, it sidetracks the more important point of health-hazard.2. It may be that asbestos sheets are used ony in the Yoga Centre are also outside the total built-up area required for B.P.Ed./M.P.Ed. But, it must be recognized that Yoga centre and Indoor Stadium constitute important activity centres for B.P.Ed./M.P.Ed. courses also. It will not, therefore, be possible for us to

					<p>ignore the fact that asbestos sheets are used in adjoining areas which will be required to be used by students of B.P.Ed. and M.P.Ed.</p> <p>3. The Bharathidasan University may, please also note that asbestos sheeting is considered to cause cancer and is, therefore, banned. Even if they are used only in Yoga centre and Indoor stadium, they will still be harmful to the users of those areas. It will, therefore, be in the overall interest of everyone if the Asbestos sheets are removed without any loss of time.</p> <p>4. We will be able to issue FR for M.P.Ed.(1 unit), before 3.5.2017(the extended time-limit prescribed by the Supreme Court) w.e.f. 2017-18 as soon as we receive confirmation about removal of the asbestos sheets.</p>
51.	SRCAPP2016 30096	M.Ed 1 Unit	Adikavi Nannaya University, East Godavari, Andhra Pradesh	AP	1. Put up with the HQ circular on the subject of taking further action on the basis of NAAC acknowledgement.
52.	SRCAPP2390	B.P.Ed 1 Unit	Sri Geervani College of Physical Education,	TS	1. In this case we had ordered VT inspection. 2. Both the VT members have reportedly not been able to get any response from the

			Karimnagar, Telangana		College. 3. Apparently, the College is not interested in the inspection. They have been delaying from Feb. 2016. 4. Issue SCN for rejection.
53.	SRCAPP14556	B.Ed 2 Units	Abu Sawood B.Ed College, Kurnool, Andhra Pradesh	AP	1. We had ordered VT inspection. 2. One Member has reported that he is not able to contact the other. 3. May be, the Tel.No. given is not correct. Please try to contact him from here. Failing that, we can consider ordering VT inspection afresh.
54.	--	--	Permission to implement the SRC decisions in respect of 5 cases through email/courier/speed post/other conventional modes of communication.	GN	Permitted
55.	SRCAPP2016 30132	BA.B.Ed BSc.B.Ed 1 Unit B.Ed- 1 Unit	Tata Institute of Social Sciences, Rangareddy, Telangana	TS	1. This case has many deficiencies. 2.1 They do not have clear title to the land. The application was accompanied by a Conveyance Deed from the Govt. of A.P. that land was in Mehboobnagar Dist.

56.	SRCAPP2016 30135	B.Ed.M.Ed 1 Unit	Tata Institute of Social Sciences, Rangareddy, Telangana	TS	<p>Now, they have changed to a Lease Deed from KSW.</p> <p>2.2 That the new land at Ranga Reddy District is also Govt. land is not very relevant. The Govt. land is on lease with ICSW. ICSW have sub-leased it to TISS through an MOU. NCTE Regulations do not allow private lease. Also, it is not clear whether KSW is authorized to sub-lease the land.</p> <p>3. Further more, at the time of application TISS did not have any title to the land in Ranga Reddy District. The sub-lease arrangement also was executed in April 2017.</p> <p>4. TISS have also not given any documents. LUC, EC, BP, BCC - all have not been given.</p> <p>5. With so many infirmities and deficiencies, it will not be possible for the SRC to take any further action in this case.</p> <p>6. Issue SCN accordingly.</p>
-----	---------------------	---------------------	---	----	---

57.	SRCAPP2653	D.El.Ed-AI	Asifia College of Education, Rangareddy, Telangana	TS	<ol style="list-style-type: none">1. There is no intention to disobey the Hon'ble High Court's Order.2.1 In May 16 itself, we had asked that our Lawyer should be advised to file an appeal. We had even sent a Counter-affidavit to the Lawyer in July 2016.2.2 Ask the Lawyer to report progress in the case. If he has not yet acted upon our instruction, he should explain reasons for the delay.3 Ask the Lawyer for immediate action so that no 'contempt' action is lodged.
58.	SRCAPP2016 30067	BA.B.Ed BSc.B.Ed 1 Unit	Usha Latchumanan College of Education, Pondicherry	PO	<ol style="list-style-type: none">1. Title is in order. Land area is adequate.2. LUC-not required in Puducherry.3. EC – is given.4. BP is there. It is duly approved. Built-up area shown is not legible.5. BCC-duly approved; in format. Built-up area shown is 4157 sq.mts. It is adequate to meet the requirement of 3500 sq.mts.(1500 for B.Sc.B.Ed. + 2000 for B.Ed.).6. BP is dated 27.8.2010. BCC is dated NIL. BCC shows year of construction as 2004-05! This is serious.

					<p>7.1 FDRs will be required in original, in joint account, with a 5 year validity @ 7+5 lakhs for each unit of each course.</p> <p>7.2 One FDR of the old course has expired. They have to give separately for each unit of the old course.</p> <p>7.3 They have to give FDRs separately for the new course.</p> <p>8. Issue SCN accordingly.</p>
--	--	--	--	--	--