

**Decisions of 337<sup>th</sup> Meeting of SRC-NCTE**

**Consideration of 2017-2018 & 2016-17 applications VT report, SCN reply and Non Submission reply : (Volume-1)**

22.	SRCAPP2947	B.Ed 2 Units	Bhagiratha College of Education, Chitradurga, Karnataka	KA	<ol style="list-style-type: none"><li>1. LOI reply has now been received</li><li>2. The Faculty list is checked.</li><li>3. Lecturer(ITC) is extra. Needs to be replaced by Lecturer(Psy.)</li><li>4. Service Certificate of Principal is required.</li><li>5. Website is non-functional.</li><li>6. FDRs are required in original, in joint account with a 5-year validity, @7+5 lakhs for each unit of each course.</li><li>7. Issue SCN accordingly.</li></ol>
23.	SRCAPP2016 30197	D.P.SE 2 Units	District Institute of Education, Nizamabad, Telangana	TS	Case is withdrawn from the agenda as already considered on 25.4.17.
24.	SRCAPP2413	B.Ed 2 Units	Sri Venkateswara College of Education, Guntur, Andhra Pradesh	AP	<ol style="list-style-type: none"><li>1. LOI reply received.</li><li>2. Faculty list is in order.</li><li>3. Service Certificate of Principal is received.</li><li>4. FDRs are required in original, in joint account with a 5-year validity, @7+5 lakhs for each unit of each course.</li></ol>

					5. Collect FDRs accordingly and issue FR for B.Ed.(2 units) w.e.f.2017-18.
25.	SRCAPP2016 30206	B.Sc.B.Ed 1 Unit	Arul College of Education, Villupuram, Tamilnadu	TN	1. LOI reply received. 2. Faculty list is in order. 3. Service Certificate of Principal is received. 4. FDR is in photocopy. 5. Issue FR for B.Sc.B.Ed.(1 unit) w.e.f.2017-18.
26.	SRCAPP2016 30223	BA.B.Ed 2 Units	Arul College of Education, Villupuram, Tamilnadu	TN	1. TNTEU has reportedly refused to clear the Faculty list on the ground that they are not prepared to start the B.A.B.Ed. course in 2017-18. This inspite of their NOC given earlier. 2. The College has requested for B.Sc.B.Ed.(2 <sup>nd</sup> Unit) in place of B.A.B.Ed.(1 Unit). 3. Since we have examined the details in the B.A.B.Ed. case, there is no need to go into them again. 4. Cancel the LOI for B.A.B.Ed.(1 unit). 5. Issue LOI for B.Sc.B.Ed.(1 unit) i.e., the second basic unit after the first basic unit approved in case no.30206.
27.	SRCAPP2016 30119	BSc.B.Ed 2 Units	J.K.K Nattraja College of Education, Namakkal, Tamilnadu	TN	1. The objection was that the BP was not approved by the local body. 2. They have not addressed that issue.

10

Members: Prof. M.S. Lalithamma, Dr. M.P. Vijaya Kumar, Shri. Krishna Mohan Rao,

Smt. Jalajakshi, Dr. J. Prasad

(S. Sathyam)  
Chairman

					<ol style="list-style-type: none"> <li>3. Reject the application.</li> <li>4. Return FDRs, if any.</li> <li>5. Close the file.</li> </ol>
28.	SRCAPP2016 30053	D.P.S.E 1 Unit	District Institute of Education and Training, Medak, Telangana	TS	<ol style="list-style-type: none"> <li>1. The built-up area available is adequate in Sq.mt. terms for D.El.Ed.(3 units) and DPSE (1 unit).</li> <li>2. How the hostel-area will be utilized for class-rooms, they have not clearly stated. Nevertheless, since the area is available, they can make appropriate adjustments.</li> <li>3. Issue LOI for DPSE(1 unit) w.e.f. 2017-18.</li> </ol>
29.	SRCAPP3110	B.Ed 2 Units	Ramanujan College of Education, Medak, Telangana	TS	<ol style="list-style-type: none"> <li>1. LOI reply not yet received.</li> <li>2. Give further time till 1.5.17.</li> <li>3. Put up on 2.5.17.</li> </ol>
30.	APS07157	B.Ed 2 Units	Janardhan Reddy College of Education, Karimnagar, Telangana	TS	<ol style="list-style-type: none"> <li>1. They have not clarified whether 'shifting' is linked to 'change of management'.</li> <li>2. NCTE(HQ) have now categorically stated that change of management is not provided for in the Regulations at all.</li> </ol>

					<p>3. That being so, we cannot permit change of management. Their requests is therefore, rejected.</p> <p>4. If, even after this rejection of the request for permission to change management, they still require permission for shifting, then, they may reply accordingly.</p>
31.	SRCAPP1357	D.El.Ed	Sri Krishna D.Ed College, Medak, Telangana	TS	<p>1. We are now hard-pressed for time because of the other cases that are considered for FR w.e.f. 2017-18. Decisions will have to be taken in such cases before the Supreme Court prescribed time-limit of 2.5.17.</p> <p>2. These cases can be taken up in June 17.</p> <p>3. There are many other such cases (possibly 37). Put up these 3 cases along with them as per directions given thereunder.</p>
32.	APS09645	D.El.Ed	Vidya Sai D.Ed College, Medak, Telangana	TS	
33.	SRCAPP806	B.Ed 2 Units	VPES Elementary Teacher Education, Hyderabad, Telangana	TS	
34.	SRCAPP2016 30162	B.Sc.B.Ed. 2 units	Sathyasai B.Ed. College, Tamilnadu	TN	

					<p>3.3 In Pedagogy there are 2 Asst. Profs.(Maths), One of them is surplus.</p> <p>4. FDRs are required in original, in joint account, with a 5-year validity, @ 7+5 lakhs for each unit in each course.</p> <p>5. Issue SCN accordingly.</p>
35.	SRCAPP2434	B.Ed. 2 units	Sri Venkateswara College of Education, Kannur village, Penamaluru Taluk, Krishna Dt., Andhra Pradesh.	AP	<p>1. LOI reply is received.</p> <p>2. Faculty list is examined. The staffing pattern is in order.</p> <p>3.1 All pages of the Faculty list are not authenticated by the Registrar. Normally, it is so authenticated. If not the Registrar, at least the Dean should authenticate every page.</p> <p>3.2 Principal's Service falls short by 3 months as of now. But by July 17, when the academic year starts, this gap will vanish.</p> <p>3.3 There is a hand-written overwriting / correction that has not been authenticated.</p> <p>4. FDRs are of the old case. FDRs are required in original, in joint account, with a 5 year validity @7+5 lakhs for each unit of each course.</p> <p>5. Issue SCN accordingly.</p> <p>6. Put up on 1.5.17.</p>

36.	SRCAPP14832	B.P.Ed. 1 unit	Sarada B.P.Ed. College, Prakasam, Andhra Pradesh	AP	<ol style="list-style-type: none"><li>1. LOI reply received.</li><li>2. Faculty list is examined.</li><li>3. Faculty list is in order.</li><li>4. FDRs are required in original, in joint account @7+5 lakhs for each unit of each course.</li><li>5. Issue FR for B.P.Ed.(1 unit) w.e.f. 2017-18.</li></ol>
37.	SRCAPP2016 30087	B.Ed 2 Units	S B College of Education, Bangalore Urban, Karnataka	KA	<ol style="list-style-type: none"><li>1. LOI reply is seen.</li><li>2. Faculty list is examined.</li><li>3.1 Marks obtained in different subjects by the Faculty members are not shown.</li><li>3.2 Asst. Prof.(Phy.) does not have M.Ed.</li><li>3.3 There are no Asst. Prof.</li><li>3.4 Principal service experience is partly Indian( 3 years) and partly Libyan( 8 years). We cannot recognize a foreign experience unless it is accompanied by an equivalence certificate of UGC or A.I.U. Also, the Libyan experience is in English teaching and not in Teacher Training in F.A. and in Perf. Arts.</li><li>4. FDRs are required in original, in joint</li></ol>

Members: Prof. M.S. Lalithamma, Dr. M.P. Vijaya Kumar, Shri. Krishna Mohan Rao,

Smt. Jalajakshi, Dr. J. Prasad

(S. Sathyam)  
Chairman

					account @7+5 lakhs for each unit of each course. 5. Issue SCN accordingly.
38.	SRCAPP2586	M.Ed 1 Unit	Tamilnadu Teachers Education University, Kanchipuram, Tamilnadu	TN	<ol style="list-style-type: none"><li>1. They have chosen one out of the 6 M.Ed. applications – M.Ed.(1 unit) proposed by their Dept. of Ed. Tech, Kanchipuram.</li><li>2. All requirements are met.</li><li>3. Enough built-up area is available. V.T. has reported that 2284 sq.mts. (out of a total of 12,203 sq.mts.) is earmarked for M.Ed.</li><li>4. Issue LOI for M.Ed.(1 unit).</li></ol>
39.	APS04732	BA.B.Ed	Tagore Government College of Education, Andaman & Nicobar	A & N	<ol style="list-style-type: none"><li>1. This case has been put up because of the reference to some SRC discussion on the subject in the 335<sup>th</sup> SRC meeting.</li><li>2. Ordinarily, Regulators do not act on 'endorsed' communications. The person sending this letter, if at all, should have addressed the RD, SRO, with whatever request he had to make.</li><li>3. Be that as it may, three facts have to be stressed:</li></ol>

					<p>(i) This matter was not on the agenda of the 335<sup>th</sup> meeting at all.</p> <p>(ii) There was no discussion on the subject in the meeting.</p> <p>(iii) No 'assurance' as claimed was given by anyone.</p> <p>4. The letter in reference has apparently been prompted by a figment of the sender's imagination.</p> <p>5. No action is needed on this letter. File it without any further attention.</p> <p>6. Inform the Pondicherry University concerned with a copy to the college in Port Blair.</p>
40.	SRCAPP2016 30141	BA.B.Ed 1 Unit	St. Joseph's College of Education for Women, Guntur, Andhra Pradesh	AP	<p>1. Their reply to the SCN is not satisfactory.</p> <p>2. Both the Sy.Nos. are mortgaged with a co-op. Bank.</p> <p>3. BCC is not approved by competent authority.</p> <p>4. FDRs given are not in original.</p> <p>5. FDRs are required in original, in joint account, with a 5- year validity@7+5 lakhs for each unit of each course.</p>



					<ol style="list-style-type: none"><li>6. Reject the application.</li><li>7. Return FDRs, if any.</li><li>8. Close the file.</li></ol>
41.	SRCAPP2016 30061	BSc.B.Ed 1 Unit	Mother Teresa Women's University, Dindigul, Tamilnadu	TN	<ol style="list-style-type: none"><li>1. Their reply to the SCN is not satisfactory.</li><li>2. BP is in order.</li><li>3.1 Built-up area is still not clearly shown. As can be seen from the BCC given, the built-up area available is (72.20+144.71+143.45)360.36 sqmts</li><li>3.2 Other than this BCC, the other documents are not in the approved format of BCC.</li><li>4. In the event, all we can say is that 360.36 sq.mts. of built-up area is available. If other areas are available, ask them to give the relevant BCCs in support.</li><li>5. Issue SCN accordingly.</li></ol>
42.	SRCAPP2016 30006	M.Ed 1 Unit	Menakshi Ramasamy College of Education, Perambalur, Tamil Nadu	TN	<ol style="list-style-type: none"><li>1. Their letter makes 2 requests:<ol style="list-style-type: none"><li>(i). Recognise M.Ed.(1 unit).</li><li>(ii). Do not withdraw the recognition given to D.El.Ed.(1 unit).</li></ol></li><li>2. M.Ed.(1 unit) is possible only if D.El.Ed.(1 unit) is cancelled.</li></ol>

					<p>3. It is not possible to take note of the additional built-up area of 943.24 sq.mts. without a VT inspection. If we choose to go in for a fresh VT inspection, we cannot consider this case for 2017-18 because of the Supreme Court prescribed time-limit of 2.5.17 for issue of FRs for 2017-18.</p> <p>4.1 It was for this reason that we issued LOI for M.Ed.(1 unit) keeping their best interest in view.</p> <p>4.2 If they do not approve of this approach, they may return the LOI; and, we will order a VT inspection.</p> <p>5.1 D.El.Ed. (1 unit) was cancelled because admittedly they have not been running it for want of enrolment.</p> <p>5.2 It is not open to them to keep recognized courses in abeyance. They have to ensure uninterrupted operation. The SRC has no authority to allow temporary suspension of courses.</p> <p>6. Issue a letter accordingly.</p>
--	--	--	--	--	---

43.	SRCAPP2241	B.P.Ed. 1 unit	Lakshmibai National College of Physical Education, Thiruvananthapuram, Kerala.	KL	<ol style="list-style-type: none"><li>1. The decision to issue FR for B.P.Ed.(1 unit) w.e.f. 2017-18, declared on 24.3.17, was patently wrong.</li><li>2. Recognising an NOC, issued by the affiliating University of Kerala on 28.12.16 i.e., long after the last date for submission of NOCs, was an error apparent on the face of the record.</li><li>3. We acknowledge this error. Review the case for correction of the error. We cancel the said decision to issue FR for B.P.Ed.(1 unit).</li><li>4. The application is rejected for non-submission of NOC(of the affiliating body) in time.</li><li>5. Inform accordingly, with our regrets for the inconvenience caused by this change.</li><li>6. Close the file.</li></ol>
-----	------------	-------------------	--	----	---

44.	SRCAPP2016 30210	D.P.S.E.  1 unit	Govt. Mahabubnagar, Telangana.	DIET, TS	<p>1. Their reply is seen. It is good to know that the State Govt. has ordered removal of asbestos roofing. This will definitely remove the very serious health hazard posed by asbestos.</p> <p>2. But, we cannot go only by the fact of a State Govt. order being issued. At the time of granting FR, there shall be no asbestos anywhere in the identified premises or even around it. The NCTE Regulations are quite rigid in this regard. The SRC has no statutory authority to relax NCTE regulations.</p> <p>3.1 In any case, this DIET has serious built-up area constraints. The total built-up area required for the 7 units of D.El.Ed. in ref. will be 4500 sq.mts.</p> <p>3.2 We will go by 'units' as defined in the Regulations; one 'unit', will be of 50 students. The old sanctions talking of 'units' of 120 or 130 or 150 cannot be recognized anymore.</p> <p>3.3 The built-up area available is only 3522 sq.mts. The reverse side of BCC shows an area of 139.98 sq.mts.</p>
-----	---------------------	------------------------	--------------------------------------	-------------	---

Members: Prof. M.S. Lalithamma, Dr. M.P. Vijaya Kumar, Shri. Krishna Mohan Rao,

Smt. Jalajakshi, Dr. J. Prasad

(S. Sathyam)  
Chairman

					<p>additionally available. This will add upto 3662.35 sq.mts. Even if we add the 'objectionable' asbestos area of 540 sq.mts., the built-up area available will be inadequate even for the existing D.El.Ed. courses.</p> <ol style="list-style-type: none"><li>4. That being so, there is no built-up area available for the proposed D.P.S.E.(1 unit).</li><li>5. The 'mistake' pointed out about referring to 'Medium' wrongly as 'Pandit' is accepted. Issue an amendment accordingly. Correct our records.</li><li>6. Issue SCN accordingly.</li></ol>
45.	SRCAPP2016 30049	BA.B.Ed B.Sc.B.Ed 1 Unit  B.Ed- 1 Unit	The Gandhigram Rural Institute- Deemed University, Dindigul, Tamilnadu	TN	<ol style="list-style-type: none"><li>1. They want B.Sc.B.Ed.(1 unit) and B.Ed.(1 unit).</li><li>2. Title is clear. Land area of 36 acres is for the whole University. The area earmarked for and allocated to the Ed. Dept. should be shown.</li><li>3. LUC and EC are not required.</li><li>4. Total land area of the University is 202 acres. Out of this, 2482.94 sq.mts. are reserved for B.Ed. &amp;</li></ol>

					<p>B.Sc.B.Ed.(Ref. BCC dt. 16.2.17).</p> <p>5. The total built up area in the University is 44,045.74 sq.mts. Out of this 1000.41 sq.mts. is reserved for the Teacher Edn. Programme (Detailed in the BCC dt. 16.2.17).</p> <p>6. The BP(undated) shows a built-up area of 9365 sq.mts; but, it is shown to be for B.Ed. and M.Ed. There is no reference to B.Sc.B.Ed; and, it is not clear whether the entry B.Ed. refers to the old integrated B.Ed.(innovative) or the new B.Ed. proposed.</p> <p>7. Total built-up area required for all the courses will be around 3500 sq.mts. (1500 for B.Sc.B.Ed.+1500 for new B.Ed.+500 for M.Ed.). As per NCTE(HQ) direction, once the new B.Ed.(1 unit) is sanctioned, the old integrated(innovative) B.Ed.(1 unit) will fold-up. RPRO for old M.Ed.(1 unit) has already been issued.</p> <p>8. The BCC shows 1000 sq.mts. for the new courses. To this can be added some of the areas shown for common</p>
--	--	--	--	--	--

					<p>facilities listed in the document dt. 12.5.2016. This addition comes to 2786 sq.mts. making a total built up area of 3786 sq.mts. which is adequate.</p> <p>9. Issue LOI for B.Sc.B.Ed.(1 unit) and B.Ed. (1 unit).</p> <p>10.1 When they give their LOI reply, they should give the Faculty list for the new B.Ed.(1 unit) on the understanding that the old integrated(innovative) B.Ed.(1 unit) will be discontinued w.e.f. 2017-18.</p> <p>10.2 They should give Faculty list for B.Ed. independently of the Faculty for M.Ed.</p> <p>10.3 Likewise, the Faculty for the B.Ed. component of B.Sc.B.Ed.(1 unit) will be independent of the Faculty for new B.Ed.(1 unit) and the M.Ed.(1 unit).</p>
--	--	--	--	--	---